

1. Walker BF. The prevalence of low back pain: a systematic review of the literature from 1966 to 1998. *J Spinal Disord* 2000; 13:205 – 17.
2. Waddell G. The Back Pain Revolution. 2 edition ed. London: Churchill-Livingstone; 2004.
3. Hoy D, Brooks P, Blyth F, Buchbinder R. The Epidemiology of low back pain. *Best Pract Res Clin Rheumatol* 2010; 24(6):769-81.
4. Andersson GB. 1997. The epidemiology of spinal disorders. In *The Adult Spine: Principles and Practice* (Ed. Frymoyer JW): 93-141, Lippincott-Raven, Philadelphia.
5. Vos T, Flaxman AD, Naghavi M, Lozano R, Michaud C, Ezzati M, Shibuya K, Salomon JA, Abdalla S, Aboyans V, et al. Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: A systematic analysis for the global burden of disease study 2010. *Lancet* 2013; 380 (9859):2163-96.
6. Modic MT, Ross JS. Lumbar degenerative disk disease. *Radiology* 2007; 245(1):43-61
7. Jim JJ, Noponen-Hietala N, Cheung KM, et al. The TRP2 allele of COL9A2 is an age-dependent risk factor for the development and severity of intervertebral disc degeneration. *Spine* 2005; 30:2735-42.
8. Battié MC, Videman T, Kaprio J, et al. The Twin Spine Study: contributions to a changing view of disc degeneration. *Spine J* 2009; 9:47-59.
9. Ferreira PH, Beekenkamp P, Maher CG, Hopper JL, Ferreira ML. Nature or nurture in low back pain? Results of a systematic review of studies based on twin samples. *Eur J Pain*. 2013; 17(7):957-71.
10. Schellingerhout JM, Heymans MW, Verhagen AP, Lewis M, de Vet HCW, Koes BW. Prognosis of Patients With Nonspecific Neck Pain. Development and External Validation of a Prediction Rule for Persistence of Complaints. *Spine* 2010; 35:E827–E835.
11. Van Middelkoop M, Rubinstein SM, Ostelo R, van Tulder MW, Peul W, Koes BW, Verhagen AP. No additional value of fusion techniques on anterior discectomy for neck pain: a systematic review. *Pain* 2012; 153(11):2167-73.
12. Airaksinen O, Brox JI, Cedraschi C, Hildebrandt J, Klaber-Moffett J, Kovacs F, et al. Chapter 4. European guidelines for the management of chronic nonspecific low back pain. *Eur Spine J* 2006 Mar;15 Suppl 2:S192-300.
13. Lescher S, Bender B, Eifler R, Haas F, Gruber K, Felber S. Isometric non-machine-based prevention training program: effects on the cross-sectional area of the paravertebral muscles on magnetic resonance imaging. *Clin Neuroradiol* 2011; 21(4):217-22.
14. Serra-Rexach JA, Bustamante-Ara N, Hierro Villarán M, González Gil P, Sanz Ibáñez MJ, Blanco Sanz N, Ortega Santamaría V, Gutiérrez Sanz N, Marín Prada AB, Gallardo

- C, Rodríguez Romo G, Ruiz JR, Lucia A. Short-term, light- to moderate-intensity exercise training improves leg muscle strength in the oldest old: a randomized controlled trial. *J Am Geriatr Soc.* 2011; 59(4):594-602.
15. Chou CH, Hwang CL, Wu YT. Effect of exercise on physical function, daily living activities, and quality of life in the frail older adults: a meta-analysis. *Arch Phys Med Rehabil.* 2012; 93(2):237-44.
  16. Hurley BF, Redmond RA, Pratley RE, Treuth MS, Rogers MA, Goldberg AP. Effects of strength training on muscle hypertrophy and muscle cell disruption in older men. *Int J Sports Med.* 1995; 16(6):378-84.
  17. Pyka G, Lindenberger E, Charette S, Marcus R. Muscle strength and fiber adaptations to a year-long resistance training program in elderly men and women. *J Gerontol.* 1994; 49(1):M22-7.
  18. Charette SL, McEvoy L, Pyka G, Snow-Harter C, Guido D, Wiswell RA, Marcus R. Muscle hypertrophy response to resistance training in older women. *J Appl Physiol.* 1991; 70(5):1912-6.
  19. Sipilä S, Elorinne M, Alen M, Suominen H, Kovanen V. Effects of strength and endurance training on muscle fibre characteristics in elderly women. *Clin Physiol.* 1997; 17(5):459-74.
  20. Hagerman FC, Walsh SJ, Staron RS, Hikida RS, Gilders RM, Murray TF, Toma K, Ragg KE. Effects of high-intensity resistance training on untrained older men. I. Strength, cardiovascular, and metabolic responses. *J Gerontol A Biol Sci Med Sci.* 2000; 55(7):B336-46.
  21. Kalapotharakos VI, Michalopoulou M, Godolias G, Tokmakidis SP, Malliou PV, Gourgoulis V. The effects of high- and moderate-resistance training on muscle function in the elderly. *J Aging Phys Act.* 2004; 12(2):131-43.
  22. Harber MP, Konopka AR, Douglass MD, Minchev K, Kaminsky LA, Trappe TA, Trappe S. Aerobic exercise training improves whole muscle and single myofiber size and function in older women. *Am J Physiol Regul Integr Comp Physiol.* 2009; 297(5):R1452-9.
  23. Verdijk LB, Gleeson BG, Jonkers RA, Meijer K, Savelberg HH, Dendale P, van Loon LJ. Skeletal muscle hypertrophy following resistance training is accompanied by a fiber type-specific increase in satellite cell content in elderly men. *J Gerontol A Biol Sci Med Sci* 2009; 64(3):332-9.
  24. Parente V, D'Antona G, Adami R, Miotti D, Capodaglio P, De Vito G, Bottinelli R. Long-term resistance training improves force and unloaded shortening velocity of single muscle fibres of elderly women. *Eur J Appl Physiol.* 2008; 104(5):885-93.

25. Hodges P, Richardson C, Jull G. Evaluation of the relationship between laboratory and clinical tests of transversus abdominis function. *Physiother Res Int*. 1996;1(1):30-40.
26. Hodges PW, Richardson CA. Contraction of the abdominal muscles associated with movement of the lower limb. *Phys Ther*. 1997; 77(2):132-42.
27. Hodges PW. Is there a role for transversus abdominis in lumbo-pelvic stability? *Man Ther*. 1999; 4(2):74-86.
28. MacDonald DA, Moseley GL, Hodges PW. The lumbar multifidus: does the evidence support clinical beliefs? *Man Ther*. 2006; 11(4):254-63.
29. Urquhart DM, Hodges PW, Story IH. Postural activity of the abdominal muscles varies between regions of these muscles and between body positions. *Gait Posture*. 2005; 22(4):295-301.
30. Urquhart DM, Hodges PW, Allen TJ, Story IH. Abdominal muscle recruitment during a range of voluntary exercises. *Man Ther*. 2005; 10(2):144-53.
31. Willard FH, Vleeming A, Schuenke MD, Danneels L, Schleip R. The thoracolumbar fascia: anatomy, function and clinical considerations. *J Anat* 2012; 221(6):507-36.
32. Deyo RA, Weinstein JN. Low back pain. *N Engl J Med* 2001; 344(5):363-370.
33. Henschke N, Maher CG, Refshauge KM, Herbert RD, Cumming RG, Bleasel J, et al. Prevalence of and screening for serious spinal pathology in patients presenting to primary care settings with acute low back pain. *Arthritis Rheum* 2009 Oct; 60(10):3072-3080.
34. Savigny P, Kuntze S, Watson P, Underwood M, Ritchie G , Cotterell M, Hill D, Browne N, Buchanan E, Coffey P, Dixon P, Drummond C, Flanagan M, Greenough,C, Griffiths M, Halliday-Bell J, Hettinga D, Vogel S, Walsh D. Low Back Pain: early management of persistent non-specific low back pain. Full Guideline. National Institute of Clinical Excellence (NICE), 2009; Disponible en [www.nice.org.uk/nicemedia/pdf/CG88fullguideline.pdf](http://www.nice.org.uk/nicemedia/pdf/CG88fullguideline.pdf), visitada el 9 de agosto de 2013.
35. Underwood M. Diagnosing acute nonspecific low back pain: time to lower the red flags? *Arthritis Rheum* 2009; 60(10):2855-2857.
36. Hartvigsen J, Foster NE, Croft PR. We need to rethink front line care for back pain. *BMJ* 2011 May 25; 342:d3260.
37. Dahm KT, Brurberg KG, Jamtvedt G, Hagen KB. Advice to rest in bed versus advice to stay active for acute low-back pain and sciatica. *Cochrane Database Syst Rev*. 2010 Jun 16;(6):CD007612. doi: 10.1002/14651858.CD007612.pub2.
38. Malmivaara A, Häkkinen U, Aro T, Heinrichs M, Koskenniemi L, Kuosma E, Lappi S, Paloheimo R, Servo C, Vaaranen V, Hernberg S. The treatment of acute low back pain; bed rest, exercises or ordinary activity? *N Engl J Med* 1995; 332:351-355.

39. Van Tulder M, Becker A, Bekkering T, Breen A, del Real MT, Hutchinson A, Koes B, Laerum E, Malmivaara A; COST B13 Working Group on Guidelines for the Management of Acute Low Back Pain in Primary Care. European guidelines for the management of acute nonspecific low back pain in primary care. *Eur Spine J.* 2006; 15 Suppl 2:S169-91.
40. Chou R, Huffman LH. Evaluation & Management of Low Back Pain: Evidence Review for the American Pain Society. Oregon Evidence-based Practice Center. Oregon, 2007.
41. Chou R, Atlas SJ, Stanos SP, Rosenquist RW. Nonsurgical interventional therapies for low back pain: a review of the evidence for an American Pain Society clinical practice guideline. *Spine* 2009; 34(10):1078-93.
42. Chou R, Qaseem A, Owens DK, Shekelle P, Clinical Guidelines Committee of the American College of Physicians. Diagnostic imaging for low back pain: advice for high-value health care from the American College of Physicians. *Ann Intern Med* 2011 Feb 1; 154(3):181-189.
43. Henschke N, Maher CG, Ostelo RW, de Vet HC, Macaskill P, Irwig L. Red flags to screen for malignancy in patients with low-back pain. *Cochrane Database Syst Rev*. 2013 Feb 28; 2:CD008686. Doi: 10.1002/14651858.CD008686.pub2.
44. Williams CM, Henschke N, Maher CG, van Tulder MW, Koes BW, Macaskill P, Irwig L. Red flags to screen for vertebral fracture in patients presenting with low-back pain. *Cochrane Database Syst Rev*. 2013 Jan 31; 1:CD008643. Doi: 10.1002/14651858.CD008643.pub2.
45. Baras JD, Baker LC. Magnetic resonance imaging and low back pain care for Medicare patients. *Health Aff (Millwood)* 2009 Nov-Dec; 28(6):w1133-40.
46. Newman-Toker DE, Pronovost PJ. Diagnostic errors--the next frontier for patient safety. *JAMA*. 2009; 301(10):1060-2.
47. Chou R, Fu R, Carrino JA, Deyo RA. Imaging strategies for low-back pain: systematic review and meta-analysis. *Lancet*. 2009; 373(9662):463-72.
48. Flynn TW, Smith B, Chou R. Appropriate use of diagnostic imaging in low back pain: a reminder that unnecessary imaging may do as much harm as good. *J Orthop Sports Phys Ther* 2011 Nov; 41(11):838-846.
49. Sinaki M, Itoi E, Wahner HW, Wollan P, Gelzcer R, Mullan BP, Collins DA, Hodgson SF. Stronger back muscles reduce the incidence of vertebral fractures: a prospective 10 year follow-up of postmenopausal women. *Bone*. 2002; 30(6):836-41.
50. Hoshino M, Tsujio T, Terai H, Namikawa, T, Kato M, Matsumura A, et al. Impact of Initial Conservative Treatment Interventions on the Outcomes of Patients with Osteoporotic Vertebral Fractures *Spine* 2013; 38:E641–E648.

51. Klazen CA, Lohle PN, de Vries J, Jansen FH, Tielbeek AV, Blonk MC, Venmans A, et al. Vertebroplasty versus conservative treatment in acute osteoporotic vertebral compression fractures (Vertos II): an open-label randomised trial. Lancet. 2010; 376(9746):1085-92.
52. McGirt MJ, Parker SL, Wolinsky JP, Witham TF, Bydon A, Gokaslan ZL. Vertebroplasty and kyphoplasty for the treatment of vertebral compression fractures: an evidenced-based review of the literature. Spine J. 2009 Jun; 9(6):501-8.
53. Fritzell P, Ohlin A, Borgström F. Cost-Effectiveness of Balloon Kyphoplasty Versus Standard Medical Treatment in Patients With Osteoporotic Vertebral Compression Fracture. A Swedish Multicenter Randomized Controlled Trial With 2-Year Follow-up. Spine 2011; 36:2243–2251.
54. Tran I, Gerckens U, Remig J, Zintl G, Textor J. First Report of a Life-Threatening Cardiac Complication After Percutaneous Balloon Kyphoplasty. Spine 2013; 38:E316–E318.
55. Kallmes DF, Comstock BA, Heagerty PJ, et al. A randomized trial of vertebroplasty for osteoporotic spinal fractures. N Engl J Med. 2009; 361:569-79.
56. Buchbinder R, Osborne RH, Ebeling PR, Wark JD, Mitchell P, et al. A randomized trial of vertebroplasty for painful osteoporotic vertebral fractures. N Engl J Med. 2009 Aug 6; 361(6):557-68.
57. Hagen KB, Dagfinrud H, Moe RH, Østerås N, Kjeken I, Grotle M, Smedslund G. Exercise therapy for bone and muscle health: an overview of systematic reviews. BMC Med. 2012 Dec 19; 10:167.
58. Howe TE, Shea B, Dawson LJ, Downie F, Murray A, Ross C, Harbour RT, Caldwell LM, Creed G. Exercise for preventing and treating osteoporosis in postmenopausal women. Cochrane Database Syst Rev. 2011 Jul 6; (7):CD000333. doi: 10.1002/14651858.CD000333.pub2. Review. PMID:21735380.
59. Jarvik JG, Deyo RA. Diagnostic evaluation of low back pain with emphasis on imaging. Ann Intern Med. 2002; 137:586-597.
60. Jarvik JG, Hollingsworth W, Martin B, Emerson SS, Gray DT, Overman S, et al. Rapid magnetic resonance imaging vs radiographs for patients with low back pain: a randomized controlled trial. JAMA 2003; 289: 2810–18.
61. Lurie JD, Birkmeyer NJ, Weinstein JN. Rates of advanced spinal imaging and spine Surgery. Spine 2003; 28: 616–20.
62. Kovacs FM, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasibar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V; for the Spanish Back Pain Research Network. Vertebral endplate changes are not associated with

- chronic low back pain among Southern European subjects: A case control study. *AJNR Am J Neuroradiol.* 2012; 33:1519-1524.
63. Kovacs FM, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasibar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V. Disc degeneration and chronic low back pain: an association which becomes non-significant when endplate changes and disc contour are taken into account. *Neuroradiology* 2014 Jan; 56(1):25-33.
  64. Bible JE, Choemprayong S, O'Neill KR, Devin CJ, Spengler DM. Whole-body vibration: is there a causal relationship to specific imaging findings of the spine? *Spine* 2012; 37(21):E1348-55.
  65. Zhang YG, Zhang F, Sun Z, Guo W, Liu J, Liu M, Guo X. A controlled case study of the relationship between environmental risk factors and apoptotic gene polymorphism and lumbar disc herniation. *Am J Pathol.* 2013; 182(1):56-63.
  66. Pasku D, Soufla G, Katonis P, Tsarouhas A, Vakis A, Spandidos DA. Akt/PKB isoforms expression in the human lumbar herniated disc: correlation with clinical and MRI findings. *Eur Spine J* 2011; 20(10):1676-83.
  67. Kobayashi S, Yoshizawa H, Yamada S. Pathology of lumbar nerve root compression. Part 2: morphological and immunohistochemical changes of dorsal root ganglion. *J Orthop Res* 2004; 22(1):180-8.
  68. Kobayashi S, Kokubo Y, Uchida K, Yayama T, Takeno K, Negoro K, Nakajima H, Baba H, Yoshizawa H. Effect of lumbar nerve root compression on primary sensory neurons and their central branches: changes in the nociceptive neuropeptides substance P and somatostatin. *Spine* 2005; 30(3):276-82.
  69. Kokubo Y, Uchida K, Kobayashi S, Yayama T, Sato R, Nakajima H, Takamura T, Mwaka E, Orwotho N, Bangirana A, Baba H. Herniated and spondylotic intervertebral discs of the human cervical spine: histological and immunohistological findings in 500 en bloc surgical samples. Laboratory investigation. *J Neurosurg Spine*. 2008; 9(3):285-95.
  70. Palmgren T, Grönblad M, Virri J, Seitsalo S, Ruuskanen M, Karaharju E. Immunohistochemical demonstration of sensory and autonomic nerve terminals in herniated lumbardisc tissue. *Spine* 1996; 21(11):1301-6.
  71. Egeland NG, Moen A, Pedersen LM, Brisby H, Gjerstad J. Spinal nociceptive hyperexcitability induced by experimental disc herniation is associated with enhanced local expression of Csf1 and FasL. *Pain*. 2013; 154(9):1743-8.
  72. Cheng L, Fan W, Liu B, Wang X, Nie L Th17 lymphocyte levels are higher in patients with ruptured than non-ruptured lumbar discs, and are correlated with pain intensity. *Injury* 2013; 44(12):1805-10.

73. Yamamoto J, Maeno K, Takada T, Kakutani K, Yurube T, Zhang Z, Hirata H, Kurakawa T, Sakai D, Mochida J, Doita M, Kurosaka M, Nishida K. Fas ligand plays an important role for the production of pro-inflammatory cytokines in intervertebral disc nucleus pulposus cells. *J Orthop Res*. 2013; 31(4):608-15.
74. Kepler, Christopher K. MD, MBA; Markova, Dessislava Z. PhD; Hilibrand, Alan S. MD; Vaccaro, Alexander R. MD, PhD; Risbud, Makarand V. PhD; Albert, Todd J. MD; Anderson, D. Greg MD Substance P Stimulates Production of Inflammatory Cytokines in Human Disc Cells. *Spine* 2013; 38:E1291–E1299.
75. Jensen MC, Brant-Zawadzki MN, Obuchowski N, Modic MT, Malkasian D, Ross JS. Magnetic resonance imaging of the lumbar spine in people without back pain. *N Engl J Med*. 1994 Jul 14; 331(2):69-73.
76. Wood KB, Garvey TA, Gundry C, Heithoff KB. Magnetic resonance imaging of the thoracic spine. Evaluation of asymptomatic individuals. *J Bone Joint Surg Am* 1995; 77(11):1631-8.
77. Stadnik TW, Lee RR, Coen HL, Neirynck EC, Buisseret TS, Osteaux MJ. Annular tears and disk herniation: prevalence and contrast enhancement on MR images in the absence of low back pain or sciatica. *Radiology*. 1998 Jan; 206(1):49-55.
78. Weishaupt D, Zanetti M, Hodler J, Boos N. MR imaging of the lumbar spine: prevalence of intervertebral disk extrusion and sequestration, nerve root compression, end plate abnormalities, and osteoarthritis of the facet joints in asymptomatic volunteers. *Radiology* 1998; 209(3):661-6.
79. Jarvik JG, Hollingsworth W, Heagerty PJ, Haynor DR, Boyko EJ, Deyo RA. Three-year incidence of low back pain in an initially asymptomatic cohort: clinical and imaging risk factors. *Spine* 2005; 30(13):1541-9.
80. Wassenaar M, van Rijn RM, van Tulder MW, Verhagen AP, van der Windt DA, Koes BW, de Boer MR, Ginai AZ, Ostelo RW. Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. *Eur Spine J*. 2012 Feb; 21(2):220-7.
81. Van der Windt DA, Simons E, Riphagen II, Ammendolia C, Verhagen AP, Laslett M, Devillé W, Deyo RA, Bouter LM, de Vet HC, Aertgeerts B. Physical examination for lumbar radiculopathy due to disc herniation in patients with low-back pain. *Cochrane Database Syst Rev*. 2010 Feb 17; (2):CD007431. doi: 10.1002/14651858.CD007431.pub2.
82. Chou R, Baisden J, Carragee EJ, Resnick DK, Shaffer WO, Loeser JD. Surgery for low back pain: a review of the evidence for an American Pain Society Clinical Practice Guideline. *Spine* 2009; 34(10):1094-109.

83. Peul WC, van Houwelingen HC, van de Hout W, Brand R, Eekhol JAH, Tans JTJ, Thomeer RTWM, Koes BW. Surgery versus Prolonged Conservative Treatment for Sciatica. *N Engl J Med* 2007; 356:2245-56.
84. Peul WC, van de Hout W, Brand R, Thomeer RTWM, Koes BW. Prolonged conservative care versus early surgery in patients with sciatica caused by lumbar disc herniation: two year results of a randomised controlled trial *BMJ* 2008; 336:1355-1358; originally published online 23 May 2008; doi:10.1136/bmj.a143.
85. Weinstein JN, Tosteson TD, Lurie JD, Tosteson ANA, Hanscom B, Skineer JS, Abdu WA, Hilibrand AS, Boden SD, Deyo RA. Surgical vs Nonoperative Treatment for Lumbar Disk Herniation. The Spine Patient Outcomes Research Trial (SPORT): A Randomized Trial *JAMA*. 2006; 296:2441-2450.
86. Weinstein JN, Lurie JD, Tosteson TD, Tosteson ANA, Blood EA, Abdu WA, Herkowitz H, Hilibrand A, Albert T, Fischgrund J. Surgical Versus Nonoperative Treatment for Lumbar Disc Herniation. Four-Year Results for the Spine Patient Outcomes Research Trial (SPORT) *Spine* 2008; 33:2789–2800.
87. Gebremariam L, Koes BW, Peul WC, Huisstede BM. Evaluation of treatment effectiveness for the herniated cervical disc: a systematic review. *Spine* 2012; 37(2):E109-18.
88. Jacobs WC, van Tulder M, Arts M, Rubinstein SM, van Middelkoop M, Ostelo R, Verhagen A, Koes B, Peul WC. Surgery versus conservative management of sciatica due to a lumbar herniated disc: a systematic review. *Eur Spine J.* 2011; 20(4):513-22.
89. Danon-Hersch N, Samartzis D, Wietlisbach V, Porchet F, Vader JP. Appropriateness criteria for surgery improve clinical outcomes in patients with low back pain and/or sciatica. *Spine* 2010; 35:672–683.
90. Carragee EJ, Paragioudakis SJ, Khurana S. 2000 Volvo Award winner in clinical studies: Lumbar high-intensity zone and discography in subjects without low back problems. *Spine* 2000; 25(23):2987-92.
91. Ernst CW, Stadnik TW, Peeters E, Breucq C, Osteaux MJ. Prevalence of annular tears and disc herniations on MR images of the cervical spine in symptom free volunteers. *Eur J Radiol.* 2005 Sep; 55(3):409-14.
92. Kovacs FM, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasibar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V; for the Spanish Back Pain Research Network. Vertebral endplate changes are not associated with chronic low back pain among Southern European subjects: A case control study. *AJNR Am J Neuroradiol.* 2012; 33:1519-1524.

93. Sayer FT, Vitali AM, Low HL, Paquette D, Honey CR, Brown-Sèquard Syndrome Produced by C3–C4 Cervical Disc Herniation. A Case Report and Review of the Literature. *Spine* 2008; 33:E279–E282.
94. Nikolaidis I, Fouyas IP, Sandercock PA, Statham PF. Surgery for cervical radiculopathy or myelopathy. *Cochrane Database Syst Rev*. 2010 Jan 20; (1):CD001466.
95. Bartels RH, van Tulder MW, Moojen WA, Arts MP, Peul WC. Laminoplasty and laminectomy for cervical spondylotic myelopathy: a systematic review. *Eur Spine J*. 2013 Apr 11. [Epub ahead of print].
96. Klineberg E. Cervical spondylotic myelopathy: a review of the evidence. *Orthop Clin North Am*. 2010; 41(2):193-202.
97. Lavy C, James A, Wilson-MacDonald J, Fairbank J. Cauda equina syndrome. *BMJ* 2009; 338:b936.
98. Kohles SS, Kohles DA, Karp AP, Erlich VM, Polissar NL. Time-dependent surgical outcomes following cauda equina syndrome diagnosis. Comments on a meta-analysis. *Spine* 2004; 29:1281–1287.
99. Schoenfeld AJ, Bader JO. Cauda equina syndrome: An analysis of incidence rates and risk factors among a closed North American military population. *Clin Neurol Neurosurg*. 2012; 114(7): 947-50.
100. Saal JA, Saal JS. Nonoperative treatment of herniated lumbar intervertebral disc with radiculopathy: an outcome study. *Spine* 1989; 14:431–7.
101. Weber H. The natural history of disc herniation and the influence of intervention. *Spine* 1994; 19:2234–8.
102. Ushewokunze S, Abbas N, Dardis R, Killeen I. Spontaneously disappearing lumbar disc protrusion. *Br J Gen Pract*. 2008 Sep; 58(554):646-7. Doi: 10.3399/bjgp08X341968.
103. Kim KD, Kim ES. Unknown case: part 2. Spontaneous regression of herniated disc. *Spine* 2013; 38(4):368.
104. Monument MJ, Salo PT. Spontaneous regression of a lumbar disk herniation. *CMAJ*. 2011; 183(7):823.
105. Chou D, Samartzis D, Bellabarba C, Patel A, Luk KD, Kissner JM, Skelly AC. Degenerative magnetic resonance imaging changes in patients with chronic low back pain: a systematic review. *Spine* 2011; 36(21 Suppl):S43-53.
106. Peloso P, Gross A, Haines T, Trinh K, Goldsmith Ch, Burnie S; Cervical Overview Group. Medicinal and injection therapies for mechanical neck disorders. *Cochrane Database Syst Rev*. 2007 Jul 18; (3):CD000319.

107. Gross AR, Goldsmith C, Hoving J L, Haines T, Peloso P, Aker P, Santaguida P, Myers C; Cervical Overview Group. Conservative management of mechanical neck disorders: a systematic review. *J Rheumatol*. 2007 May; 34(5):1083-102.
108. Kovacs FM, Seco J, Royuela A, Corcoll J, Abraria V and the Spanish Back Pain Research Network. Predicting the evolution of low back pain patients in routine clinical practice. Results from a registry within the Spanish National Health Service. *Spine J* 2012; 12:1008-1020.
109. Urrútia G, Burton AK, Morral Fernández A, Bonfill Cosp X, Zanolí G. Neuroreflexotherapy for non-specific low-back pain. *Cochrane Database of Systematic Reviews* 2004, Issue 2. Art. N°: CD003009. doi:10.1002/14651858.CD003009.pub2.
110. Kovacs FM, Abraira V, Muriel A et al. Prognostic Factors for Neuroreflexotherapy in the Treatment of Subacute and Chronic Neck and Back Pain. A Study of Predictors of Clinical Outcome in Routine Practice of the Spanish National Health Service. *Spine* 2007; 32:1621–1628.
111. Hayden JA, van Tulder MW, Malvaara A, Koes BW. Exercise therapy for the treatment of non-specific low back pain. *Cochrane Database Syst Rev* 2005, Jul 20; (3): CD00335.
112. Hayden JA, van Tulder MW, Tomlinson G. Systematic review: strategies for using exercise therapy to improve outcomes in chronic low back pain. *Ann Intern Med*. 2005; 142(9):776-85.
113. Henschke N, Kuijpers T, Rubinstein SM, van Middelkoop M, Ostelo R, Verhagen A, Koes BW, van Tulder MW. Injection therapy and denervation procedures for chronic low-back pain: a systematic review. *Eur Spine J*. 2010; 19(9):1425-49.
114. Benoit M, Boulu P, Hayem G. Epidural steroid injections in the management of low-back pain with radiculopathy: an update of their efficacy and safety. *Eur Spine J*. 2012; 21(2):204-13.
115. Quraishi NA. Transforaminal injection of corticosteroids for lumbar radiculopathy: systematic review and meta-analysis. *Eur Spine J*. 2012; 21(2):214-9.
116. Jacobs WC, Arts MP, van Tulder MW, Rubinstein SM, van Middelkoop M, Ostelo RW, Verhagen AP, Koes BW, Peul WC. Surgical techniques for sciatica due to herniated disc, a systematic review. *Eur Spine J*. 2012; 21(11):2232-51.
117. Wardlaw D, Rithchie IK, Sabboubeh AF, Vavdha M, Eastmond CJ. Prospective randomized trial of chemonucleolysis compared with surgery for soft disc herniation with 1-year, intermediate, and long-term outcome: part I: the clinical outcome. *Spine* 2013; 38(17):E1051-7.
118. Wardlaw D, Rithchie IK, Sabboubeh AF, Vavdha M, Downing M, Eastmond CJ. Prospective Randomized Trial of Chemonucleolysis Compared With Surgery for

- Soft DiscHerniation with 1-Year, Intermediate, and Long-Term Outcome: Part II: The Radiological Outcome. *Spine* 2013; 38(17):E1058-64.
119. Sharma H, Lee SW, Cole AA. The management of weakness caused by lumbar and lumbosacral nerve root compression. *J Bone Joint Surg Br*. 2012; 94(11):1442-7.
  120. Overdevest GM, Vleggeert-Lankamp CL, Jacobs WC, Brand R, Koes BW, Peul WC; Leiden-The Hague Spine Intervention Prognostic Study Group. Recovery of motor deficit accompanying sciatica-subgroup analysis of a randomized controlled trial. *Spine J*. Sep 1; 14(9):1817-24.
  121. Wang Y, Nataraj A. Foot drop resulting from degenerative lumbar spinal diseases: clinical characteristics and prognosis. *Clin Neurol Neurosurg* 2014;117:33-9.
  122. Johnsson, K. E. Lumbar spinal stenosis. A retrospective study of 163 cases in southern Sweden. *Acta Orthop. Scand.* 66, 403–405 (1995).
  123. Siebert E, Prüss H, Klingebiel R, Failli V, Einhäupl KM, Schwab JM. Lumbar spinal stenosis: syndrome, diagnostics and treatment. *Nature Reviews Neurology* 2009;5: 392-403.
  124. Boden SD, Davis DO, Dina TS, Patronas NJ, Wiesel S. Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects; a prospective investigation. *J Bone Joint Surg Am* 1990; 72:403-8.
  125. Haig AJ, Tong HC, Yamakawa KSJ, et al. Predictors of Pain and Function in Persons With Spinal Stenosis, Low Back Pain, and No Back Pain. *Spine* 2006; 31:2950–2957.
  126. Kalichman L, Li L, Kim HD, et al. Facet Joint Osteoarthritis and Low Back Pain in the Community-Based Population *Spine* 2008; 33:2560–2565.
  127. Kalichman L, Kim HD, Li L, Guermazi A, Berkin V, Hunter DJ. Spondylolysis and Spondylolisthesis Prevalence and Association With Low Back Pain in the Adult Community-Based Population. *Spine* 2009; 34:199–205.
  128. Epstein NE, Maldonado VC, Cusick JF. Symptomatic lumbar spinal stenosis. *Surg Neurol* 1998; 50:3–10.
  129. Tan SB. Spinal canal stenosis. *Singapore Med J* 2003; 44:168–9.
  130. Jacobsen S, Sonne-Holm S, Rovsing H, Monrad H, Gebhur P. Degenerative spondylolisthesis: an epidemiological perspective: the Copenhagen Osteoarthritis Study. *Spine* 2007; 32:120-5.
  131. Dejerine, J. Intermittent claudication of the spinal cord [French]. *Press Med* 1911; 19, 981–984.
  132. Van Gelderen, C. An orthotic (lordotic) cauda syndrome [German]. *Acta Psychiatr. Neurol.* 23, 57–68 (1948).

133. Verbiest, H. A radicular syndrome from developmental narrowing of the lumbar canal. *J. Bone Joint Surg.* 36-B, 230–237 (1954).
134. Porter, R. W. Spinal stenosis and neurogenic claudication. *Spine* 1996; 21, 2046–2052.
135. Takahashi, K. et al. Changes in epidural pressure during walking in patients with lumbar spinal stenosis. *Spine* 1995; 20, 2746–2749.
136. Takahashi, K., Miyazaki, T., Takino, T., Matsui, T., Tomita, K. Epidural pressure measurements. Relationship between epidural pressure and posture in patients with lumbar spinal stenosis. *Spine* 1995; 20:650–653.
137. Murakami M, Takahashi K, Sekikawa T, Yasuhara K, Yamagata M, Moriya H. Effects of intravenous lipoprostaglandin E1 on neurogenic intermittent claudication. *J Spinal Disord.* 1997;10(6):499-504
138. Kobayashi S, Baba H, Uchida K, Kokubo Y, Yayama T, Takeno K, Negoro K. Blood circulation of cauda equina and nerve root. *Clin Calcium.* 2005;15(3):63-72
139. Jespersen SM, Christensen K, Svenstrup L, Lindblad BE, Hansen ES, Bünger C. Spinal cord and nerve root blood flow in acute double level spinal stenosis. *Spine* 1997; 22(24):2900-10.
140. Hall S, Bartleson JD, Onofrio BM, et al. Lumbar spinal stenosis: clinical features, diagnostic procedures, and results of surgical treatment in 68 patients. *Ann Intern Med* 1985; 103:271–5.
141. De Graaf I, Prak A, Bierma-Zeinstra S, Thomas S, Peul W, Koes B. Diagnosis of lumbar spinal stenosis. A systematic review of the accuracy of diagnostic tests. *Spine* 2006; 31:1168-1176.
142. Kovacs FM, Urrútia G, Alarcón JD. Surgery versus conservative treatment for symptomatic lumbar spinal stenosis: a systematic review of randomized controlled trials. *Spine* 2011; 36(20):E1335-51.
143. Kovacs FM, Oliver-Frontera A, Plana MN, Royuela A, Muriel A, Gestoso M and the Spanish Back Pain Research Network. Improving schoolchildren's knowledge of methods for prevention and management of low back pain. A cluster randomized controlled trial. *Spine* 2011; 36:E505–E512.
144. Ammendolia C, Stuber K, de Bruin LK, Furlan AD, Kennedy CA, Rampersaud YR, Steenstra IA, Pennick V. Nonoperative treatment of lumbar spinal stenosis with neurogenic claudication: a systematic review. *Spine* 2012; 37(10):E609-16.
145. Ammendolia C, Stuber KJ, Rok E, Rampersaud R, Kennedy CA, Pennick V, Steenstra IA, de Bruin LK, Furlan AD. Nonoperative treatment for lumbar spinal stenosis with neurogenic claudication. *Cochrane Database Syst Rev.* 2013 Aug 30; 8:CD010712.

146. Friedly JL, Comstock BA, Turner JA, Heagerty PJ, Deyo RA, Sullivan SD, Bauer Z, Bresnahan BW, Avins AL, Nedeljkovic SS, Nerenz DR, Standaert C, Kessler L, Akuthota V, Annaswamy T, Chen A, Diehn F, Firtch W, Gerges FJ, Gilligan C, Goldberg H, Kennedy DJ, Mandel S, Tyburski M, Sanders W, Sibell D, Smuck M, Wasan A, Won L, Jarvik JG. A randomized trial of epidural glucocorticoid injections for spinal stenosis. *N Engl J Med.* 2014 Jul 3; 371(1):11-21.
147. Burnett MG, Stein SC, Bartels RH. Cost-effectiveness of current treatment strategies for lumbar spinal stenosis: nonsurgical care, laminectomy, and X-STOP. *J Neurosurg Spine.* 2010 Jul; 13(1):39-46.
148. Strömqvist BH, Berg S, Gerdhem P, Johnsson R, Möller A, Sahlstrand T, Soliman A, Tullberg T. X-Stop Versus Decompressive Surgery for Lumbar Neurogenic Intermittent Claudication: Randomized Controlled Trial With 2-Year Follow-up. *Spine* 2013; 38(17):1436-42.
149. Skidmore G, Ackerman SJ, Bergin C, Ross D, Butler J, Suthar M, Rittenberg J. Cost-effectiveness of the X-STOP® interspinous spacer for lumbar spinal stenosis. *Spine* 2011; 36(5):E345-56.
150. Moojen WA, Arts MP, Jacobs WC, van Zwet EW, van den Akker-van Marle ME, Koes BW, Vleggeert-Lankamp CL, Peul WC; Leiden-The Hague Spine Intervention Prognostic Study Group. Interspinous process device versus standard conventional surgical decompression for lumbar spinal stenosis: randomized controlled trial. *BMJ* 2013 Nov 14; 347:f6415.
151. Kurz LT. Degenerative lumbar spondylolisthesis with spinal stenosis: a prospective study comparing decompression with decompression and intertransverse process arthrodesis. *J Bone Joint Surg Am.* 1991; 73(6):802-808.
152. Fischgrund JS, Mackay M, Herkowitz HN, Brower R, Montgomery DM, Kurz LT. Degenerative lumbar spondylolisthesis with spinal stenosis: a prospective, randomized study comparing decompressive laminectomy and arthrodesis with and without spinal instrumentation. *Spine* 1997; 22(24):2807-2812.
153. Grob D, Humke T, Dvorak J. Degenerative lumbar spinal stenosis: decompression with and without arthrodesis. *J Bone Joint Surg Am.* 1995; 77(7):1036-1041.
154. Deyo RA, Mirza SK, Martin BI, Kreuter W, Goodman DG, Jarvik J. Trends, major medical complications and charges associated with surgery for lumbar spinal stenosis in older adults. *JAMA* 2010; 303(13):1259-1265.
155. Mirza SK, Deyo RA, Heagerty PJ, et al. Development of an index to characterize the «invasiveness» of spine surgery: validation by comparison to blood loss and operative time. *Spine* 2008; 33(24):2651-2661.

156. Fritzell P, Hagg O, Nordwall A; Swedish Lumbar Spine Study Group. Complications in lumbar fusion surgery for chronic low back pain: comparison of three surgical techniques used in a prospective randomized study. *Eur Spine J.* 2003; 12(2):178-189.
157. Thomsen K, Christensen FB, Eiskjaer SP, Hansen ES, Fruensgaard S, Bunger CE. The effect of pedicle screw instrumentation on functional outcome and fusion rates in posterolateral lumbar spinal fusion: a prospective randomized clinical study. *Spine* 1997; 22(24):2813-2822.
158. Abdu WA, Lurie JD, Spratt KF, et al. Degenerative Spondylolisthesis. Does Fusion Method Influence Outcome? Four-Year Results of the Spine Patient Outcomes Research Trial. *Spine* 2009; 34:2351–2360.
159. Wilson-MacDonald J, Fairbank J, Frost H, Yu LM, Barker K, Collins R, Campbell H. The MRC spine stabilization trial: surgical methods, outcomes, costs, and complications of surgical stabilization. *Spine* 2008; 33(21):2334-40.
160. Ward CV, Latimer B. Human evolution and the development of spondylolysis. *Spine* 2005; 30(16):1808-14.
161. Beutler WJ, Fredrickson BE, Murtland A, Sweeney CA, Grant WD, Baker D. The natural history of spondylolysis and spondylolisthesis: 45-year follow-up evaluation. *Spine* 2003; 28(10):1027-35.
162. Kalichman L, Hunter DJ. Diagnosis and conservative management of degenerative lumbar spondylolisthesis. *Eur Spine J.* 2008; 17(3):327-35.
163. Kalichman L, Hodges P, Li L, Guermazi A, Hunter DJ. Changes in paraspinal muscles and their association with low back pain and spinal degeneration: CT study. *Eur Spine J.* 2010 Jul; 19(7):1136-44.
164. Kalichman L, Kim DH, Li L, Guermazi A, Hunter DJ. Computed tomography-evaluated features of spinal degeneration: prevalence, intercorrelation, and association with self-reported low back pain. *Spine J.* 2010 Mar; 10(3):200-8.
165. Roland M, van Tulder M. Should radiologists change the way they report plain radiography of the spine? *Lancet*. 1998; 352(9123):229-30.
166. Jacobs WCH, Rubinstein SM, Willems PC, Moojen WA, Pellisé F, Oner CG, Peul WC, van Tulder MW. The evidence on surgical interventions for low back disorders, an overview of systematic reviews. *Eur Spine J* 2013 Sep; 22(9):1936-49.
167. Lord SM, Barnsley L, Wallis BJ, McDonald GJ, Bogduk N. Percutaneous radiofrequency neurotomy for chronic cervical zygapophyseal-joint pain. *N Engl J Med* 1996; 335(23):1721-6.

168. Niemisto L, Kalso E, Malmivaara A, Seitsalo S, Hurri H. Radiofrequency denervation for neck and back pain. A systematic review of randomized controlled trials. *Cochrane Database Syst Rev*. 2003; (1):CD004058.
169. Staal JB, de Bie RA, de Vet HCW, Hildebrandt J, Nelemans P. Injection Therapy for Subacute and Chronic Low Back Pain. An Updated Cochrane Review. *Spine* 2009; 34:49–59.
170. Hancock MJ, Maher CG, Latimer J, Spindler MF, McAuley JH, Laslett M, Bogduk N. Systematic review of tests to identify the disc, SIJ or facet joint as the source of low back pain. *Eur Spine J*. 2007; 16(10):1539-50.
171. Anderson SR. A rationale for the treatment algorithm of failed back surgery syndrome. *Curr Rev Pain*. 2000; 4(5):395-406.
172. Yoshihara H. Sacroiliac joint pain after lumbar/lumbosacral fusion: current knowledge. *Eur Spine J*. 2012; 21(9):1788-96.
173. Brox JI, Reikerås O, Nygaard Ø, Sørensen R, Indahl A, Holm I, Keller A, Ingebrigtsen T, Grundnes O, Lange JE, Friis A. Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: a prospective randomized controlled study. *Pain* 2006; 122(1-2):145-55.
174. Helm Ii S, Benyamin RM, Chopra P, Deer TR, Justiz R. Percutaneous adhesiolysis in the management of chronic low back pain in post lumbar surgery syndrome and spinal stenosis: a systematic review. *Pain Physician* 2012; 15(4):E435-62.
175. Gerdesmeyer L, Wagenpfeil S, Birkenmaier C, Veihelmann A, Hauschild M, Wagner K, Muderis MA, Gollwitzer H, Diehl P, Toepfer A. Percutaneous epidural lysis of adhesions in chronic lumbar radicular pain: a randomized, double-blind, placebo-controlled trial. *Pain Physician* 2013; 16(3):185-96.
176. Manchikanti L, Singh V, Cash KA, Pampati V. Assessment of effectiveness of percutaneous adhesiolysis and caudal epidural injections in managing post lumbar surgery syndrome: 2-year follow-up of a randomized, controlled trial. *J Pain Res*. 2012; 5:597-608.
177. Cramer H, Haller H, Lauche R, Dobos G. Mindfulness-based stress reduction for low back pain. A systematic review. *BMC Complement Altern Med*. 2012 25; 12:162.
178. Esmer G, Blum J, Rulf J, Pier J. Mindfulness-based stress reduction for failed back surgery syndrome: a randomized controlled trial. *J Am Osteopath Assoc*. 2010; 110(11):646-52.

179. Health Quality Ontario. Spinal cord stimulation for neuropathic pain: an evidence-based analysis. *Ont Health Technol Assess Ser.* 2005; 5(4):1-78.
180. Kelly GA, Blake C, Power CK, O'Keeffe D, Fullen BM. The impact of spinal cord stimulation on physical function and sleep quality in individuals with failedback surgery syndrome: a systematic review. *Eur J Pain.* 2012; 16(6):793-802.
181. Krames ES, Monis S, Poree L, Deer T, Levy R Using the SAFE principles when evaluating electrical stimulation therapies for the pain of failed backsurgery syndrome. *Neuromodulation.* 2011; 14(4):299-311.
182. Kumar K, Taylor RS, Jacques L, Eldabe S, Meglio M, Molet J, Thomson S, O'Callaghan J, Eisenberg E, Milbouw G, Buchser E, Fortini G, Richardson J, North RB. The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. *Neurosurgery.* 2008; 63(4):762-70.
183. Kumar K, Taylor RS, Jacques L, Eldabe S, Meglio M, Molet J, Thomson S, O'Callaghan J, Eisenberg E, Milbouw G, Buchser E, Fortini G, Richardson J, North RB. Spinal cord stimulation versus conventional medical management for neuropathic pain: a multicentre randomised controlled trial in patients with failed back surgery syndrome. *Pain.* 2007; 132(1-2):179-88.
184. Kumar K, North R, Taylor R, Sculpher M, Van den Abeele C, Gehring M, Jacques L, Eldabe S, Meglio M, Molet J, Thomson S, O'Callaghan J, Eisenberg E, Milbouw G, Fortini G, Richardson J, Buchser E, Tracey S, Reny P, Brookes M, Sabene S, Cano P, Banks C, Pengelly L, Adler R, Leruth S, Kelly C, Jacobs M. Spinal Cord Stimulation vs. Conventional Medical Management: A Prospective, Randomized, Controlled, Multicenter Study of Patients with Failed Back Surgery Syndrome (PROCESS Study). *Neuromodulation.* 2005 Oct; 8(4):213-218.
185. North RB, Kumar K, Wallace MS, Henderson JM, Shipley J, Hernandez J, Mekel-Bobrov N, Jaax KN. Spinal cord stimulation versus re-operation in patients with failed back surgery syndrome: an international multicenter randomized controlled trial (EVIDENCE study). *Neuromodulation* 2011; 14(4):330-5.
186. North RB, Kidd D, Shipley J, Taylor RS. Spinal cord stimulation versus reoperation for failed back surgery syndrome: a cost effectiveness and cost utility analysis based on a randomized, controlled trial. *Neurosurgery.* 2007; 61(2):361-8.
187. North RB, Kidd DH, Piantadosi S. Spinal cord stimulation versus reoperation for failed back surgery syndrome: a prospective, randomized study design. *Acta Neurochir Suppl.* 1995; 64:106-8.
188. Taylor RS, Desai MJ, Rigoard P, Taylor RJ. Predictors of Pain Relief Following Spinal Cord Stimulation in Chronic Back and Leg Pain and FailedBack Surgery

- Syndrome: A Systematic Review and Meta-Regression Analysis. *Pain Pract* 2014 Jul; 14(6):489-505.
189. Gibson JN, Waddell G. Surgery for degenerative lumbar spondylosis; Updated Cochrane review. *Cochrane Database Syst Rev* 2005 Oct 19; (4):CD001352. Review.
190. Royuela A, Kovacs FM, Campillo C, Casamitjana M, Muriel A, Abraira V. Predicting outcomes of neuroreflexotherapy in patients with subacute or chronic neck or low back pain. *Spine J* 2014; 14:1588-1600.
191. Campillo C, Casamitjana M, Carrillo-Arias F, Royuela A, Kovacs FM, Abraira V. Post-implementation surveillance of a non-pharmacological-health-technology within a National Health Service. *Int J Technol Assess Health Care* 2014; 30(2):153-64
192. Bala MM, Riemsma RP, Nixon J, Kleijnen J. Systematic review of the (cost) effectiveness of spinal cord stimulation for people with failed back surgery syndrome. *Clin J Pain*. 2008; 24(9):741-56.
193. Mailis-Gagnon A, Furlan AD, Sandoval JA, Taylor R. Spinal cord stimulation for chronic pain. *Cochrane Database Syst Rev*. 2004; (3):CD003783.
194. Lara NA Jr, Teixeira MJ, Fonoff ET Long term intrathecal infusion of opiates for treatment of failed back surgery syndrome. *Acta Neurochir Suppl*. 2011; 108:41-7.
195. Kumar K, Hunter G, Demeria DD. Treatment of chronic pain by using intrathecal drug therapy compared with conventional pain therapies: a cost-effectiveness analysis. *J Neurosurg*. 2002 Oct; 97(4):803-10.
196. Anderson VC, Burchiel KJ. A prospective study of long-term intrathecal morphine in the management of chronic nonmalignant pain. *Neurosurgery* 1999; 44(2):289-301.
197. Deer TR, Caraway DL, Kim CK, Dempsey CD, Stewart CD, McNeil KF. Clinical experience with intrathecal bupivacaine in combination with opioid for the treatment of chronic pain related to failed back surgery syndrome and metastatic cancer pain of the spine. *Spine J*. 2002 Jul-Aug; 2(4):274-8.
198. Carroll LJ. Beliefs and expectations for recovery, coping, and depression in whiplash-associated disorders: lessening the transition to chronicity. *Spine* 2011; 36(25 Suppl):S250-6.
199. Sterling M, McLean SA, Sullivan MJ, Elliott JM, Buitenhuis J, Kamper SJ. Potential processes involved in the initiation and maintenance of whiplash-associated disorders. *Spine*. 2011; 36(25 Suppl):S322-9.
200. Spearing NM, Connelly LB, Gargett S, Sterling M. Does injury compensation lead to worse health after whiplash? A systematic review. *Pain*. 2012;153(6):1274-82
201. Van Oosterwijck J, Nijs J, Meeus M, Paul L. Evidence for central sensitization in chronic whiplash: a systematic literature review. *Eur J Pain* 2013; 17(3):299-312.

202. Stone AM, Vicenzino B, Lim EC, Sterling M. Measures of central hyperexcitability in chronic whiplash associated disorder--a systematic review and meta-analysis. *Man Ther* 2013; 18(2):111-7.
203. Bogduk N. On cervical zygapophysial joint pain after whiplash. *Spine (Phila Pa 1976)*. 2011; 36(25 Suppl):S194-9.
204. Côté P, Soklaridis S. Does early management of whiplash-associated disorders assist or impede recovery? *Spine* 2011; 36(25 Suppl):S275-9.
205. Gennis P, Miller L, Gallagher EJ, Giglio J, Carter W, Nathanson N. The effect of soft cervical collars on persistent neck pain in patients with whiplash injury. *Acad Emerg Med* 1996; 3(6):568-73.
206. Teasell RW, McClure JA, Walton D, Pretty J, Salter K, Meyer M, Sequeira K, Death B. A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): part 2 - interventions for acute WAD. *Pain Res Manag*. 2010; 15(5):295-304.
207. Meeus M, Nijs J, Hamers V, Ickmans K, Oosterwijk JV. The efficacy of patient education in whiplash associated disorders: a systematic review. *Pain Physician* 2012; 15(5):351-61.
208. Gross A, Forget M, St George K, Fraser MM, Graham N, Perry L, Burnie SJ, Goldsmith CH, Haines T, Brunarski D. Patient education for neck pain. *Cochrane Database Syst Rev*. 2012 Mar 14; 3:CD005106.
209. Teasell RW, McClure JA, Walton D, Pretty J, Salter K, Meyer M, Sequeira K, Death B. A research synthesis of therapeutic interventions for whiplash-associated disorder (WAD): part 4 - noninvasive interventions for chronic WAD. *Pain Res Manag*. 2010; 15(5):313-22.
210. Southrest D, Nordin MC, Côté P, Shearer HM, Varatharajan S, Yu H, Wong JJ, Sutton DA, Randhawa KA, van der Velde GM, Mior SA, Carroll LJ, Jacobs CL, Taylor-Vaisey AL. Is exercise effective for the management of neck pain and associated disorders or whiplash-associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. *Spine J* 2014 Feb 15. pii: S1529-9430(14)00210-1. Doi: 10.1016/j.spinee.2014.02.014. [Epub ahead of print].
211. Michaleff ZA, Maher CG, Lin CW, Rebbeck T, Jull G, Latimer J, Connelly L, Sterling M. Comprehensive physiotherapy exercise programme or advice for chronic whiplash (PROMISE): a pragmatic randomised controlled trial. *Lancet*. 2014 Apr 3. pii: S0140-6736(14)60457-8. Doi: 10.1016/S0140-6736(14)60457-8.
212. Teasell RW, McClure JA, Walton D, Pretty J, Salter K, Meyer M, Sequeira K, Death B. A research synthesis of therapeutic interventions for whiplash-associated

- disorder (WAD): part 5 - surgical and injection-based interventions for chronic WAD. *Pain Res Manag.* 2010; 15(5):323-34.
213. Miyamoto H, Sumi M, Uno K. Outcome of surgery for rheumatoid cervical spine at one institute over three decades. *Spine J.* 2013 Nov;13(11):1477-84
214. Lee JS, Lee S, Bang SY, Choi KS, Joo KB, Kim YB, Sung IL, Kim TH. Prevalence and risk factors of anterior atlantoaxial subluxation in ankylosing spondylitis. *J Rheumatol.* 2012 Dec; 39(12):2321-6.
215. Möllmann C, Lampe CG, Müller-Forell W, Scarpa M, Harmatz P, Schwarz M, Beck M, Lampe C. Development of a Scoring System to Evaluate the Severity of Craniocervical Spinal Cord Compression in Patients with Mucopolysaccharidosis IVA (Morquio A Syndrome). *JIMD Rep* 2013; 11:65-72.
216. Dedlow ER, Siddiqi S, Fillipps DJ, Kelly MN, Nackashi JA, Tuli SY. Symptomatic atlantoaxial instability in an adolescent with trisomy 21 (Down's syndrome). *Clin Pediatr (Phila).* 2013 Jul; 52(7):633-8.
217. Kamitani T, Nimura Y, Nagahiro S, Miyazaki S, Tomatsu T. Catastrophic head and neck injuries in judo players in Japan from 2003 to 2010. *Am J Sports Med.* 2013; 41(8):1915-21.
218. Chechik O, Wientroub S, Danino B, Lebel DE, Ovadia D. Successful conservative treatment for neglected rotatory atlantoaxial dislocation. *J Pediatr Orthop.* 2013 Jun; 33(4):389-92.
219. Takamatsu R, Takahashi H, Yokoyama Y, Terajima F, Inoue Y, Fukutake K, Wada A. A Case of Delayed Myelopathy Caused by Atlantoaxial Subluxation without Fracture. *Case Rep Orthop.* 2013; 2013:421087.
220. Kuroki T, Ueno Y, Takeda I, Kambe T, Nishioka K, Shimura H, Itoh M, Hattori N, Urabe T. Recurrent Embolic Strokes Associated with Vertical Atlantoaxial Subluxation in a Patient with Rheumatoid Arthritis: A Case Report and Review of Literature. *J Stroke Cerebrovasc Dis.* 2013; 22(8):e676-81.
221. Inamasu J, Nakatsukasa M. Rotational vertebral artery occlusion associated with occipitoatlantal assimilation, atlantoaxial subluxation, and basilar impression. *Clin Neurol Neurosurg.* 2013 Aug; 115(8):1520-3.
222. Blom M, Creemers M, Kievit W, Lemmens J, van Riel P. Long-term follow-up of the cervical spine with conventional radiographs in patients with rheumatoid arthritis. *Scand J Rheumatol.* 2013; 42(4):281-8.
223. Yoshida G, Kamiya M, Yukawa Y, Kanemura T, Imagama S, Matsuyama Y, Ishiguro N. Rheumatoid vertical and subaxial subluxation can be prevented by atlantoaxial posterior screw fixation. *Eur Spine J* 2012; 21(12):2498-505.

224. Kothari S. Neuromodulatory approaches to chronic pelvic pain and coccygodynia. *Acta Neurochir Suppl*. 2007; 97(Pt 1):365-71.
225. Khan SA, Kumar A, Varshney MK, Trikha V, Yadav CS. Dextrose prolotherapy for recalcitrant coccygodynia. *J Orthop Surg (Hong Kong)*. 2008; 16(1):27-9.
226. Karadimas EJ, Trypsiannis G, Giannoudis PV. Surgical treatment of coccygodynia: an analytic review of the literature. *Eur Spine J*. 2011; 20(5):698-705.
227. Kerr EE, Benson D, Schrot RJ. Coccygectomy for chronic refractory coccygodynia: clinical case series and literature review. *J Neurosurg Spine*. 2011; 14(5):654-63.
228. Resnick D, Niwayama G. Degenerative disease of the spine. Philadelphia, Pa: Saunders, 1995; 1372–1462.
229. Videman T, Gibbons LE, Kaprio J, Battie MC. Challenging the cumulative injury model: positive effects of greater body mass on disc degeneration. *Spine J* 2009; 10(1):26-31.
230. Brisby H, Wei AQ, Molloy T, Chung SA, Murrell GA, Diwan AD. The Effect of Running Exercise on Intervertebral Disc Extracellular Matrix Production in a Rat Model. *Spine* 2010; 35:1429–1436.
231. Kovacs FM, Arana E, Royuela A, Estremera A, Amengual G, Asenjo B, Sarasibar H, Galarraga I, Alonso A, Casillas C, Muriel A, Martínez C, Abraira V. Disc degeneration and chronic low back pain: an association which becomes non-significant when endplate changes and disc contour are taken into account. *Neuroradiology* 2014 Jan; 56(1):25-33.
232. Harreby M, Neergaard K, Hesselsoe G, Kjer J. Are radiologic changes in the thoracic and lumbar spine of adolescents risk factors for low back pain in adults? A 25-year prospective cohort study of 640 school children. *Spine* 1995; 20:2298-2302.
233. Waris E, Eskelin M, Hermunen H, Kiviluoto O, Paajanen H. Disc degeneration in low back pain: a 17-year follow-up study using magnetic resonance imaging. *Spine* 2007; 32(6):681-4.
234. Kovacs FM, Royuela A, Jensen TS, Estremera A, Amengual G, Muriel A, Galarraga I, Martinez C, Arana E, Sarasibar H, Salgado RM, Abraira V, López O, Campillo C, Gil del Real MT, Zamora J. Agreement in the interpretation of magnetic resonance images of the lumbar spine. *Acta Radiol* 2009; 50(5):497-506.
235. Arana E, Royuela A, Kovacs FM, Estremera A, Sarasibar H, Amengual G, Galarraga I, Martínez C, Muriel A, Abraria V, Gil del Real MT, Zamora J, Campillo C. Agreement in the interpretation of 1.5T Magnetic Resonance images of the lumbar spine using the Nordic Modic Consensus Group Classification form. *Radiology* 2010; 254:809–817.

236. Arana E, Kovacs FM, Royuela A, Estremera A, Sarasíbar H, Amengual G, Galarraga I, Martínez C, Muriel A, Abraira V, Zamora J, Campillo C. The influence of nomenclature in the interpretation of lumbar disk contour on MRI: A comparison of the agreement using the Combined Task Force and the Nordic nomenclatures. *AJNR Am J Neuroradiol* 2011; 32:1143–48.
237. Brox JI, Nygaard ØP, Holm I, Keller A, Ingebrigtsen T, Reikerås O. Four-year follow-up of surgical versus non-surgical therapy for chronic low back pain. *Ann Rheum Dis*. 2010; 69(9):1643-8.
238. Boselie TF, Willems PC, van Mameren H, de Bie RA, Benzel EC, van Santbrink H. Arthroplasty versus fusion in single-level cervical degenerative disc disease: a Cochrane review. *Spine* 2013; 38(17):E1096-107.
239. Jacobs WCH, van der Gaag NA, Kruyt MC , Tuschel A, de Kleuver M, Peul WC, Verbout AJ, Oner FC Total Disc Replacement for Chronic Discogenic Low Back Pain. A Cochrane Review. *Spine* 2013; 38:24–36.
240. Mannion AF, Brox JI, Fairbank J. Comparison of spinal fusion and nonoperative treatment in patients with chronic low back pain: long-term follow-up of three randomized controlled trials. *Spine J* 2013; 13(11):1438-1448.
241. Carragee EJ, Cheng I. Minimum acceptable outcomes after lumbar spinal fusion. *Spine J*. 2010; 10(4):313-20.
242. Willems P, de Bie R, Oner C, Castelein R, de Kleuver M. Clinical decision making in spinal fusion for chronic low back pain: Results of a nationwide survey among spine surgeons, *BMJ Open*, 2011; 1:e000391. Doi: 10.1136/bmjopen-2011-000391.
243. Willems PC, Staal JB, Walenkamp GH, de Bie RA. Spinal fusion for chronic low back pain: systematic review on the accuracy of tests for patient selection. *Spine J* 2013; 13(2):99-109.
244. Spine Surgery Societies, Blue Cross Blue Shield of North Carolina Lumbar Spine Fusion Surgery «notification»: [www.spine.org/Documents/BCBSNC\\_Lumbar\\_Fusion\\_Response121510.pdf](http://www.spine.org/Documents/BCBSNC_Lumbar_Fusion_Response121510.pdf) Published December 15, 2010. Updated December 15, 2010. Accessed June 30, 2011.
245. Schoene M. Spinal Fusion for Degenerative Disc Disease: An Operation in Search of an Indication. *The Back Letter* 2013; 28(4):37,44-47.
246. Martin BI, Deyo RA, Mirza SK, Turner JA, Comstock BA, Hollingsworth W, Sullivan SD. Expenditures and health status among adults with back and neck problems. *JAMA*. 2008; 299(6):656-64.

247. Martin BI, Turner JA, Mirza SK, Lee MJ, Comstock BA, Deyo RA Trends in health care expenditures, utilization, and health status among US adults with spine problems, 1997-2006. *Spine* 2009; 34(19):2077-84.
248. Grupo de Variaciones de la Práctica Médica de la Red temática de Investigación en Resultados y Servicios de Salud (Grupo VPM-IRYS). Variaciones en cirugía ortopédica y traumatología en el Sistema Nacional de Salud. Atlas de Variaciones en la Práctica Médica en el Sistema Nacional de Salud 2005; 1(1):17-37. Publicado por la Fundación IISS, Valencia.
249. Philips FM, Slosar PJ, Youssef JA, Andersson G, Papatheofanis F. Lumbar Spine Fusion for Chronic Low Back Pain Due to Degenerative Disc Disease. A Systematic Review. *Spine* 2013; 38:E409–E422.
250. Kovacs FM, Urrútia G, Arana E, Álvarez-Galovich L Olabe J. *Re: Lumbar spine fusion for chronic low back pain due to degenerative disc disease. A systematic review.* *Spine* 2013; 38:E409–22. *Spine* 2013; 38:1901.
251. Arana E, Kovacs FM, Royuela A, Estremera A, Asenjo B, Sarasíbar H, Amengual G, Galarraga I, Alonso A, Casillas C, Muriel A, Montoya J, Ordóñez C, Martínez C, Zamora J, Campillo C, Abraira V. Modic changes and associated features in Southern European chronic low back pain patients. *Spine J* 2011; 11:402-411.
252. Jensen TS, Karppinen J, Sorensen JS, et al. Vertebral endplate signal changes (Modic changes): a systematic literature review of prevalence and association with non-specific low back pain. *Eur Spine J* 2008; 17:1407-22.
253. Wang Y, Videman T, Battié MC. ISSLS Prize Winner: Lumbar vertebral endplate lesions associations with disc degeneration and back pain history. *Spine* 2012; 37:1490 – 1496.
254. Keller A, Boyle E, Skog TA, Cassidy JD, Bautz-Holter E Are Modic changes prognostic for recovery in a cohort of patients with non-specific low back pain? *Eur Spine J.* 2012; 21(3):418-24.
255. Hutton MJ, Bayer JH, Powell JM, Sharp DJ. Modic vertebral body changes. The natural history as assessed by consecutive magnetic resonance imaging. *Spine* 2011; 36:2304–2307.
256. Willems PC, Elmans L, Anderson PG, van der Schaaf, DB, de Kleuver M. Provocative Discography and Lumbar Fusion. Is Preoperative Assessment of Adjacent Discs Useful? *Spine* 2007; 32:1094–1099.
257. Urrútia G, Kovacs FM, Nishishinya B, Olabe J. Percutaneous thermocoagulation intradiscal techniques for discogenic low back pain. A systematic review. *Spine* 2007; 32(10):1146–1154.

258. Carragee E, Lincoln T, Palmar V, et al. A gold standard evaluation of the «discogenic pain» diagnosis as determined by provocative discography. *Spine* 2006; 31:2115–23.
259. Carragee EJ, Alamin TF, Carragee JM. Low-pressure positive discography in subjects asymptomatic of significant low back pain illness. *Spine* 2006; 31:505–9.
260. Virta L, Rönnemaa T. The association of mild-moderate isthmic lumbar spondylolisthesis and low back pain in middle-aged patients is weak and it only occurs in women. *Spine* 1993; 18(11):1496-503.
261. Hagenmaier FH, Delawi D, Verschoor N, Oner CF, van Susante JL. No correlation between slip reduction in low-grade spondylolisthesis or change in neuroforaminal morphology and clinical outcome *BMC Musculoskeletal Disorders* 2013, 14:245 doi: 10.1186/1471-2474-14-245.
262. Izzo R, Guarnieri G, Guglielmi G, Muto M. Biomechanics of the spine. Part II: spinal instability. *Eur J Radiol*. 2013 Jan; 82(1):127-38.
263. Kraemer P, Fehlings MG, Hashimoto R, Lee MJ, Anderson PA, Chapman JR, Raich A, Norvell DC. A systematic review of definitions and classification systems of adjacent segment pathology. *Spine* 2012; 37(22 Suppl):S31-9.
264. Hutting N, Scholten-Peeters GG, Vijverman V, Keesenberg MD, Verhagen AP. Diagnostic Accuracy of Upper Cervical Spine Instability Tests: A Systematic Review. *Phys Ther*. 2013; 93(12):1686-95.
265. Izzo R, Guarnieri G, Guglielmi G, Muto M. Biomechanics of the spine. Part I: spinal stability. *Eur J Radiol*. 2013 Jan; 82(1):118-26.
266. Sierink JC, van Lieshout WA, Been LF, Schep NW, Vandertop WP, Goslings JC. Systematic review of flexion/extension radiography of the cervical spine in trauma patients. *Eur J Radiol*. 2013; 82(6):974-81.
267. Weinstein SL. Adolescent idiopathic scoliosis: prevalence and natural history. In: Weinstein SL, editor. *The Pediatric Spine: Principles and Practice*. New York: Raven Press; 1994. pp. 463–78.
268. Weinstein SL. Natural history. *Spine* 1999, 24:2592-2600.
269. Fendri K, Patten SA, Kaufman GN, Zaouter C, Parent S, Grimard G, Edery P, Moldovan F. Microarray expression profiling identifies genes with altered expression in Adolescent Idiopathic Scoliosis. *Eur Spine J*. 2013 Jun;22(6):1300-11.
270. Burwell RG, Dangerfield PH, Moulton A, Grivas TB, Cheng JC. Whither the etiopathogenesis (and scoliogeny) of adolescent idiopathic scoliosis? Incorporating presentations on scoliogeny at the 2012 IRSSD and SRS meetings. *Scoliosis*. 2013 Feb 28; 8(1):4.

271. Gorman KF, Julien C, Moreau A. The genetic epidemiology of idiopathic scoliosis. *Eur Spine J*. 2012 Oct; 21(10):1905-19.
272. Clough M, Justice CM, Marosy B, Miller NH. Males with familial idiopathic scoliosis: a distinct phenotypic subgroup. *Spine* 2010 Jan 15; 35(2):162-8.
273. Kovacs FM., Gestoso M, Gil del Real MT, López J, Mufraggi N, Méndez JI. Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study. *Pain* 2003; 103:259-268.
274. Kenanidis E, Potoupnis ME, Papavasiliou KA, Sayegh FE, Kapetanos GA. Adolescent Idiopathic Scoliosis and Exercising Is There Truly a Liaison? *Spine* 2008; 33:2160–2165.
275. Tanchev PI, Dzherov AD, Parushev AD, Dikov DM, Todorov MB. Scoliosis in rhythmic gymnasts. *Spine* 2000; 25(11):1367-72.
276. Rushton PR, Grevitt MP. Comparison of Untreated Adolescent Idiopathic Scoliosis with Normal Controls. A Review and Statistical Analysis of the Literature. *Spine* 2013; 38:778–78.
277. Weinstein SL, Dolan LA, Spratt KF, Peterson KK, Spoonamore MJ, Ponseti IV. Health and Function of Patients with Untreated Idiopathic Scoliosis. A 50-Year Natural History Study. *JAMA*. 2003; 289:559-567.
278. Urrutia J, Espinosa J, Diaz-Ledezma C, Cabello C. The impact of lumbar scoliosis on pain, function and health-related quality of life in postmenopausal women. *Eur Spine J* 2011; 20(12):2223-7.
279. Howard A, Donaldson S, Hedden D, Stephens D, Alman B, Wright J. Improvement in Quality of Life Following Surgery for Adolescent Idiopathic Scoliosis. *Spine* 2007; 32:2715–2718.
280. Vishal S, Sugarman E, Wollowick A, Amaral T, Harmon E, Thornhill B. Scoliosis Surgery in Patients With Adolescent Idiopathic Scoliosis Does Not Alter Lung Volume: A 3-Dimensional Computed Tomography-Based Study. *Spine* 2014;39(6):E399–E405.
281. Sánchez-Mariscal F, Gómez-Rice A, Izquierdo E, Pizones J, Zúñiga L, Álvarez-González P. Correlation of Radiographic and Functional Measurements in Patients Who Underwent Primary Scoliosis Surgery in Adult Age. *Spine* 2012; 37:592–598.
282. Nason GJ MRCSI, Baker JF, Byrne DP, Noel J, Moore D, Kiely PJ Scoliosis-Specific Information on the Internet. Has the «Information Highway» Led to Better Information Provision? *Spine* 2012; 37:E1364 – E1369.

283. Rowe DE, Bernstein SM, Riddick MF, Adler F, Emans JB, Gardner-Bonneau D. A meta-analysis of the efficacy of non-operative treatments for idiopathic scoliosis. *J Bone Joint Surg Am* 1997; 79(5):664-74.
284. Negrini S, Minozzi S, Bettany-Saltikov J, Zaina F, Chockalingam N, Grivas TB, Kotwicki T, Maruyama T, Romano M, Vasiliadis ES. Braces for idiopathic scoliosis in adolescents. *Cochrane Database of Systematic Reviews* 2010, Issue 1. Art. Nº.: CD006850. Doi: 10.1002/14651858.CD006850.pub2.
285. Van Middelkoop M, Rubinstein SM, Kuijpers T, Verhagen AP, Ostelo R, Koes BW, van Tulder MW. A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. *Eur Spine J.* 2011; 20(1):19-39.
286. Bas P, Romagnoli M, Gomez-Cabrera MC, Bas JL, Villar-Aura J, Franco N, Bas T. Beneficial effects of aerobic training in adolescent patients with moderate idiopathic scoliosis. *Eur Spine J* (2011) 20 (Suppl 3):S415–S419.
287. Choi BK, Verbeek JH, Tam WW, Jiang JY. Exercises for prevention of recurrences of low-back pain. *Cochrane Database Syst Rev.* 2010 Jan 20; (1):CD006555.
288. Wang XQ, Zheng JJ, Yu ZW, Bi X, Lou SJ, Liu J, Cai B, Hua YH, Wu M, Wei ML, Shen HM, Chen Y, Pan YJ, Xu GH, Chen PJ. A meta-analysis of core stability exercise versus general exercise for chronic low back pain. *PLoS One.* 2012; 7(12):e52082.
289. Fusco C, Zaina F, Atanasio S, Romano M, Negrini A, Negrini S. Physical exercises in the treatment of adolescent idiopathic scoliosis: An updated systematic review. *Physiother Theory Pract.* 2011; 27(1):80-114.
290. Romano M, Minozzi S, Zaina F, Bettany Saltikov J, Chockalingam N, Kotwicki T, Hennes AM, Negrini S. Exercises for Adolescent Idiopathic Scoliosis. A Cochrane Systematic Review. *Spine* 2013; 38:E883–E893.
291. Weinstein SL, Dolan LA, Wright JG, Dobbs MB. Effects of bracing in adolescents with idiopathic scoliosis. *N Engl J Med* 2013; 369(16):1512-21.
292. Danielsson AJ, Hasslerius R, Ohlin A, Nachemson AL. Health-Related Quality of Life in Untreated Versus Brace-Treated Patients With Adolescent Idiopathic Scoliosis. A Long-term Follow-up. *Spine* 2010; 35:199–205.
293. Reames DL, Smith JS, Fu KMG, Polly DW, Ames CP, Berven SH, Perra JH, Glassman SD, McCarthy RE, Knapp RD, Heary R, Shaffrey CI, and Scoliosis Research Society Morbidity and Mortality Committee Complications in the Surgical Treatment of 19,360 Cases of Pediatric Scoliosis A Review of the Scoliosis Research Society Morbidity and Mortality Database. *Spine* 2011; 36:1484–1491.

294. Sanders JOI Haynes R, Lighter D, Niederpruem M, Hollenback C, Johnson L, Nomura S, Arndt D, Bush P, Santiago J, King R, Trottier T Variation in Care Among Spinal Deformity Surgeons Results of a Survey of the Shriners Hospitals for Children. *Spine* 2007; 32:1444–1449.
295. Michael ALR, Loughenbury PR, Rao AS, Dunsmuir RA, Millner PA. A Survey of Current Controversies in Scoliosis Surgery in the United Kingdom. *Spine* 2012; 37:1573-1578.
296. De Kleuver M, Lewis SJ, Germscheid NM, Kamper SJ, Alanay A, Berven SH, Cheung KM, Ito M, Lenke LG, Polly DW, Qiu Y, van Tulder M, Shaffrey C. Optimal surgical care for adolescent idiopathic scoliosis: an international consensus. *Eur Spine J* 2014 doi: 10.1007/s00586-014-3356-1.
297. Bron JL, van Royen BJ, Wuismans PI. The clinical significance of lumbosacral transitional anomalies. *Acta Orthop Belg*. 2007; 73(6):687-95.
298. Bansal S, Katzman WB, Giangregorio LM. Exercise for Improving Age-Related Hyperkyphotic Posture: A Systematic Review. *Arch Phys Med Rehabil*. 2014; 95(1):129-40.
299. Vialle R, Khouri N, Glorion C, Lechevallier J, Morin C. Lumbar hyperlordosis of neuromuscular origin: pathophysiology and surgical strategy for correction. *Int Orthop* 2007; 31(4):513-23.
300. Matsuyama Y, Hasegawa Y, Yoshihara H, Tsuji T, Sakai Y, Nakamura H, Kawakami N, Kanemura T, Yukawa Y, Ishiguro N. Hip-spine syndrome: total sagittal alignment of the spine and clinical symptoms in patients with bilateral congenital hip dislocation. *Spine* 2004; 29(21):2432-7.
301. Liebetrau A, Puta C, Schinowski D, Wulf T, Wagner H. [Is there a correlation between back pain and stability of the lumbar spine in pregnancy? A model-based hypothesis]. *Schmerz*. 2012; 26(1):36-45.
302. Masharawi Y, Dar G, Peleg S, Steinberg N, Medlej B, May H, Abbas J, Hershkovitz I. A morphological adaptation of the thoracic and lumbar vertebrae to lumbar hyperlordosis in young adult females. *Eur Spine J*. 2010; 19(5):768-73.
303. de Oliveira Pezzan PA, João SM, Ribeiro AP, Manfio EF. Postural assessment of lumbar lordosis and pelvic alignment angles in adolescent users and nonusers of high-heeled shoes. *J Manipulative Physiol Ther*. 2011; 34(9):614-21.
304. Russell BS The effect of high-heeled shoes on lumbar lordosis: a narrative review and discussion of the disconnect between Internet content and peer-reviewed literature. *J Chiropr Med*. 2010; 9(4):166-73.

305. Miyazaki M, Hymanson HJ, Morishita Y, He W, Zhang H, Wu G, Kong MH, Tsumura H, Wang JC. Kinematic analysis of the relationship between sagittal alignment and disc degeneration in the cervical spine. *Spine* 2008; 33(23):E870-6.
306. Keorochana G, Taghavi CE, Lee KB, Yoo JH, Liao JC, Fei Z, Wang JC. Effect of sagittal alignment on kinematic changes and degree of disc degeneration in the lumbar spine: an analysis using positional MRI. *Spine*. 2011; 36(11):893-8.
307. Olmedo-Buenrostro BA, Trujillo-Hernández B, Pérez-Vargas FD, Díaz-Giner VR, Delgado-Enciso I, Muñiz-Murguía J, Huerta M, Trujillo X, Mora-Brambila AB, Vásquez C. [Comparison of three therapeutic exercises protocols to lumbar hyperlordosis improvement in asymptomatic youths]. *Rev Invest Clin*. 2010;62(6):568-76
308. Scannell JP, McGill SM. Lumbar posture--should it, and can it, be modified? A study of passive tissue stiffness and lumbar position during activities of daily living. *Phys Ther*. 2003; 83(10):907-17.
309. Wojtys EM, Ashton-Miller JA, Huston LJ, Moga PJ. The association between athletic training time and the sagittal curvature of the immature spine. *Am J Sports Med* 2000; 4(29):490-498.
310. Harrison DD, Harrison DE, Janik TJ, Cailliet R, Ferrantelli JR, Haas JW, Holland B. Modeling of the sagittal cervical spine as a method to discriminate hypolordosis: results of elliptical and circular modeling in 72 asymptomatic subjects, 52 acute neck pain subjects, and 70 chronic neck pain subjects. *Spine*. 2004; 29(22):2485-92.
311. Jankovic D, Peng P, van Zundert A. Brief review: Piriformis syndrome: etiology, diagnosis, and management. *Can J Anaesth*. 2013;60(10):1003-12
312. Miller TA, White KP, Ross DC. The diagnosis and management of Piriformis Syndrome: myths and facts. *Can J Neurol Sci*. 2012; 39(5):577-83.
313. Hopayan K, Song F, Riera R, Sambandan S. The clinical features of the piriformis syndrome: a systematic review. *Eur Spine J*. 2010; 19(12):2095-109.
314. Ohtori S, Takahashi K, Chiba T, Yamagata M, Sameda H, Moriya H. Sensory innervation of the dorsal portion of the lumbar intervertebral discs in rats. *Spine* 2001; 26(8):946-50.
315. Ohtori S, Inoue G, Koshi T, Ito T, Watanabe T, Yamashita M, Yamauchi K, Suzuki M, Doya H, Moriya H, Takahashi Y, Takahashi K. Sensory innervation of lumbar vertebral bodies in rats. *Spine* 2007; 32(14):1498-502.
316. Taguchi T, Hoheisel U, Mense S. Dorsal horn neurons having input from low back structures in rats. *Pain* 2008; 138(1):119-29.

317. Morinaga T, Takahashi K, Yamagata M, Chiba T, Tanaka K, Takahashi Y, Nakamura S, Suseki K, Moriya H. Sensory innervation to the anterior portion of lumbar intervertebral disc. *Spine* 1996; 21(16):1848-51.
318. Kasai Y, Takegami K, Uchida A. Change of barometric pressure influences low back pain in patients with vacuum phenomenon within lumbar intervertebral disc. *J Spinal Disord Tech.* 2002; 15(4):290-3.
319. McGorry RW, Hsiang SM, Snook SH, Clancy EA, Young SL. Meteorological conditions and self-report of low back pain. *Spine* 1998; 23(19):2096-102.
320. Pincus T, Burton AK, Vogel S, Field AP. A systematic review of psychological factors as predictors of chronicity/disability in prospective cohorts of low back pain. *Spine* 2002; 27:E109-E120.
321. Konno S, Kikuchi S, Nagaosa Y. The relationship between intramuscular pressure of the paraspinal muscles and low back pain. *Spine* 1994; 19(19):2186-9.
322. Kovacs FM, Abraira V, Pena A, Martín-Rodríguez JG, Sánchez-Vera M, Ferrer E, Ruano D, Guillén P, Gestoso M, Muriel A, Zamora J, Gil del Real MT, Mufraggi N. Effect of firmness of mattress on chronic non-specific low-back pain: randomised, double-blind, controlled, multicentre trial. *Lancet* 2003; 362:1599-1604.
323. Marty M, Rozenberg S, Duplan B, Thomas P, Duquesnoy B, Allaert F. Quality of sleep in patients with chronic low back pain: a case-control study. *Eur Spine J* 2008, 17:839-844.
324. Van de Water AT, Eadie J, Hurley DA. Investigation of sleep disturbance in chronic low back pain: an age- and gender-matched case-control study over a 7-night period. *Man Ther* 2011; 16(6):550-6.
325. O'Donoghue GM, Fox N, Heneghan C, Hurley DA. Objective and subjective assessment of sleep in chronic low back pain patients compared with healthy age and gender matched controls: a pilot study. *BMC Musculoskelet Disord* 2009 Oct 2; 10:122. doi: 10.1186/1471-2474-10-122.
326. Valenza MC, Valenza G, González-Jiménez E, De-la-Llave-Rincón AI, Arroyo-Morales M, Fernández-de-Las-Peñas C. Alteration in sleep quality in patients with mechanical insidious neck pain and whiplash-associated neck pain. *Am J Phys Med Rehabil.* 2012; 91(7):584-91.
327. Auvinen JP, Tammelin TH, Taimela SP, Zitting PJ, Järvvelin MR, Taanila AM, Karppinen JI. Is insufficient quantity and quality of sleep a risk factor for neck, shoulder and low back pain? A longitudinal study among adolescents. *Eur Spine J* 2010 19:641–649.

328. Kääriä S, Laaksonen M, Rahkonen O, Lahelma E, Leino-Arjas P. Risk factors of chronic neck pain: a prospective study among middle-aged employees. *Eur J Pain* 2012 Jul; 16(6):911-20.
329. Nicoletti M, Neri G, Maccauro G, Tripodi D, Varvara G, Saggini A, Potalivo G, Castellani ML, Fulcheri M, Rosati M, Toniato E, Caraffa A, Antinolfi P, Cerulli G, Pandolfi F, Galzio R, Conti P, Theoharides TC. Impact of neuropeptide substance P an inflammatory compound on arachidonic acid compound generation. *Int J Immunopathol Pharmacol*. 2012; 25(4):849-57.
330. Fernandes ES, Fernandes MA, Keeble JE. The functions of TRPA1 and TRPV1: moving away from sensory nerves. *Br J Pharmacol*. 2012; 166(2):510-21.
331. Schaible HG, Del Rosso A, Matucci-Cerinic M. Neurogenic aspects of inflammation. *Rheum Dis Clin North Am*. 2005; 31(1):77-101.
332. Cavanaugh JM. Neural mechanisms of lumbar pain. *Spine* 1995; 20(16):1804-9.
333. Sameda H, Takahashi Y, Takahashi K, Chiba T, Ohtori S, Moriya H. Dorsal root ganglion neurones with dichotomising afferent fibres to both the lumbar disc and the groin skin. A possible neuronal mechanism underlying referred groin pain in lower lumbar disc diseases. *J Bone Joint Surg Br*. 2003; 85(4):600-3.
334. Wrisley DM, Sparto PJ, Whitney SL, Furman JM. Cervicogenic dizziness: a review of diagnosis and treatment. *J Orthop Sports Phys Ther*. 2000; 30(12):755-66.
335. Poole E, Treleaven J, Jull G. The influence of neck pain on balance and gait parameters in community-dwelling elders. *Man Ther* 2008; 13:317-24.
336. Field S, Treleaven J, Jull G. Standing balance: a comparison between idiopathic and whiplash-induced neck pain. *Man Ther* 2008; 13:183-91.
337. Uthaikhup S, Jull G, Sungkarat S, et al. The influence of neck pain on sensorimotor function in the elderly. *Arch Gerontol Geriatr* 2012; 55:667-72
338. Treleaven J. Sensorimotor disturbances in neck disorders affecting postural stability, head and eye movement control. *Man Ther* 2008; 13:2-11.
339. Ruhe A, Fejer R, Walker B. Altered postural sway in patients suffering from non-specific neck pain and whiplash associated disorder - A systematic review of the literature. *Chiropr Man Therap* 2011; 19:13.
340. Kovacs FM, Abraira V, Zamora J, Gil del Real MT, Llobera J, Fernández C, and the Kovacs-Atención Primaria Group. Correlation between pain, disability and quality of life in patients with common low back pain. *Spine* 2004; 29(2):206-210.
341. Kovacs FM, Abraira V, Zamora J, Fernández C and the Spanish Back Pain Research Network. The transition from acute to subacute and chronic low back pain. A study based on determinants of quality of life and prediction of chronic disability. *Spine* 2005; 30(15):1786-1792.

342. Moix J, Kovacs FM, Martín A, Plana MN, Royuela A, and the Spanish Back Pain Research Network. Catastrophizing, state-anxiety, anger and depressive symptoms do not correlate with disability when variations of trait-anxiety are taken into account. A study of chronic low back pain patients treated in Spanish pain units [NCT00360802]. *Pain Med* 2011; 12:1008–1017.
343. Karayannis NV, Smeets RJ, van den Hoorn W, Hodges PW. Fear of Movement Is Related to Trunk Stiffness in Low Back Pain. *PLoS One*. 2013 27; 8(6):e67779.
344. Picavet HS, Vlaeyen JW, Schouten JS. Pain catastrophizing and kinesiophobia: predictors of chronic low back pain. *Am J Epidemiol* 2002; 156(11):1028-34.
345. Verbunt JA, Seelen HA, Vlaeyen JW, van der Heijden GJ, Knottnerus JA. Fear of injury and physical deconditioning in patients with chronic low back pain. *Arch Phys Med Rehabil*. 2003; 84(8):1227-32.
346. Swinkels-Meewisse IE, Roelofs J, Schouten EG, Verbeek AL, Oostendorp RA, Vlaeyen JW. Fear of movement/(re)injury predicting chronic disabling low back pain: a prospective inception cohort study. *Spine* 2006; 31(6):658-64.
347. Crombez G, Vlaeyen JW, Heuts PH, Lysens R. Pain-related fear is more disabling than pain itself: evidence on the role of pain-related fear in chronic back pain disability. *Pain* 1999; 80(1-2):329-39.
348. Kovacs FM, Muriel A, Abraira V, et al. The influence of fear avoidance beliefs on disability and quality of life is sparse in Spanish low back pain patients. *Spine* 2005; 30:E676-E682.
349. Hartvigsen J, Lings S, Leboeuf-Yde C, Bakkeig L. Psychosocial factors at work in relation to low back pain and consequences of low back pain; a systematic, critical review of prospective cohort studies. *Occup Environ Med*. 2004; 61(1):e2.
350. Kovacs FM, Muriel A, Castillo Sánchez MD, Medina JM, Royuela A and the Spanish Back Pain Research Network. Fear avoidance beliefs influence duration of sick leave in Spanish low back pain patients. *Spine* 2007; 32:1761–1766.
351. Kovacs FM, Abraira V, Cano A, Royuela A, Gil del Real MT, Gestoso M, Mufraggi N, Muriel A, Zamora J, Spanish Back Pain Research Network. Fear Avoidance Beliefs do not influence disability and quality of life in Spanish elderly subjects with low back pain. *Spine* 2007; 32:2133-2138.
352. Kovacs F, Abraira V, Santos S, et al. A Comparison of Two Short Education Programs for Improving Low Back Pain-Related Disability in the Elderly. A Cluster Randomized Controlled Trial. *Spine* 2007; 32:1053–1059.
353. Kovacs FM, Noguera J, Abraira V, Royuela A, Cano A, Gil del Real MT, Zamora J, Gestoso M, Muriel A, Mufraggi N. The influence of psychological factors on

- low back pain-related disability in community-dwelling older persons. *Pain Med* 2008; 9(7):871-880.
354. Foster NE, Thomas E, Bishop A, Dunn KM, Main CJ. Distinctiveness of psychological obstacles to recovery in low back pain patients in primary care. *Pain* 2010; 148:398-40.
355. Kovacs FM, Seco J, Royuela A, Corcoll, J, Peña A, and the Spanish Back Pain Research Network. The prognostic value of catastrophizing for predicting the clinical evolution of low back pain patients. A study in routine clinical practice within the Spanish National Health Service [NCT00502333]. *Spine J* 2012; 12:545-555.
356. Hoogendoorn WE, van Poppel MNM, Bongers PM, Koes BW, Bouter LM. 2000. Systematic review of psychosocial factors at work and in private life as risk factors for back pain. *Spine* 2000; 25: 2114-2125.
357. Cano A, Gestoso M, Kovacs F, Hale C, Mufraggi N, Abraira V. The perceptions of people with low back pain treated in the Spanish National Health, and their experience while undergoing a new evidence-based treatment. A focus group study. *Disabil Rehabil*. 2014; 36(20):1713-22.
358. Fairbank J, Hashimoto R, Dailey A, Patel AA, Dettori JR. Does patient history and physical examination predict MRI proven cauda equina syndrome? *Evid Based Spine Care J*. 2011; 2(4):27-33.
359. Zhang ZJ, Cao DL, Zhang X, Ji RR, Gao YJ. Chemokine contribution to neuropathic pain: respective induction of CXCL1 and CXCR2 in spinal cord astrocytes and neurons. *Pain* 2013; 154(10):2185-97.
360. Förster M, Mahn F, Gockel U, Brosz M, Freyhagen R, Tölle TR, Baron R. Axial low back pain: one painful area - many perceptions and mechanisms. *PLoS One*. 2013 Jul 2; 8(7):e68273.
361. Hasvik E, Iordanova Schistad E, Grøvle L, Julsrød Haugen A, Røe C, Gjerstad J. Subjective health complaints in patients with lumbar radicular pain and disc herniation are associated with a sex -OPRM1 A118G polymorphism interaction: a prospective 1-year observational study. *BMC Musculoskelet Disord* 2014 May 18; 15(1):161. doi: 10.1186/1471-2474-15-161.
362. Merskey HB, Bogduk N. Detailed descriptions of pain syndromes. In: Merskey HB, Bogduk N, eds. *Classification of chronic pain*. Seattle, WA: IASP Press, 1994; 39–58.
363. Da C Menezes Costa L, Maher CG, Hancock MJ, McAuley JH, Herbert RD, Costa LO. The prognosis of acute and persistent low-back pain: a meta-analysis. *CMAJ*. 2012; 184(11):E613-24.

364. Heymans MW, van Buuren S, Knol DL, Anema JR, van Mechelen W, de Vet HCW. The prognosis of chronic low back pain is determined by changes in pain and disability in the initial period. *Spine J* 2010; 10:847-856.
365. Hayden JA, Chou R, Hogg-Johnson S, Bombardier C. Systematic reviews of low back pain prognosis had variable methods and results: guidance for future prognosis reviews. *J Clin Epidemiol*. 2009; 62(8):781-796.
366. Chou R, Shekelle P. Will this patient develop persistent disabling low back pain? *JAMA*. 2010; 303(13):1295-302.
367. Fundación Kovacs. Efecto de las decisiones clínicas que influyen en la evolución de la cervicalgia tratada en la práctica clínica rutinaria del Sistema Nacional de Salud. Proyectos de investigación en curso. Disponible en [www.kovacs.org/es\\_quehacemos\\_investigacionmedica\\_actividadyresultados\\_proyectosdeinvestigacionencurso\\_02.html#EfectodelasdecisionesclínicasqueinfluyenenlaevolucióndelacervicalgiatratadaenlaprácticaclínicarutinariadelSistemaNacionaldeSalud](http://www.kovacs.org/es_quehacemos_investigacionmedica_actividadyresultados_proyectosdeinvestigacionencurso_02.html#EfectodelasdecisionesclínicasqueinfluyenenlaevolucióndelacervicalgiatratadaenlaprácticaclínicarutinariadelSistemaNacionaldeSalud), visitada el 15 de agosto de 2013.
368. Fundación Kovacs. Investigación médica: [www.kovacs.org/es\\_quehacemos\\_investigacionmedica.html](http://www.kovacs.org/es_quehacemos_investigacionmedica.html), visitada el 30 de septiembre de 2013.
369. Stanton TR, Henschke N, Maher CG, Refshauge KM, Latimer J, McAuley JH. After an episode of acute low back pain, recurrence is unpredictable and not as common as previously thought. *Spine* 2008; 33(26):2923-8.
370. Kolb E, Canjuga M, Bauer GF, Läubli T. Course of back pain across 5 years: a retrospective cohort study in the general population of Switzerland. *Spine* 2011; 36(4):E268-73.
371. Paksaichol A, Janwantanakul P, Purepong N, Pensri P, van der Beek AJ. Office workers' risk factors for the development of non-specific neck pain: a systematic review of prospective cohort studies. *Occup Environ Med*. 2012; 69(9):610-8.
372. McLean SM, May S, Klaber-Moffett J, Sharp DM, Gardiner E. Risk factors for the onset of non-specific neck pain: a systematic review. *J Epidemiol Community Health*. 2010 Jul; 64(7):565-72.
373. Jacobs W, Willems PC, van Limbeek J, Bartels R, Pavlov P, Anderson PG, Oner C. Single or double-level anterior interbody fusion techniques for cervical degenerative disc disease. *Cochrane Database Syst Rev*. 2011 Jan 19; (1):CD004958. Doi: 10.1002/14651858.CD004958.pub2. Review.
374. Jacobs W, Van der Gaag NA, Tuschel A, de Kleuver M, Peul W, Verbout AJ, Oner FC. Total disc replacement for chronic back pain in the presence of disc degeneration. *Cochrane Database Syst Rev*. 2012 Sep 12; 9:CD008326.

375. Bertozzi L, Gardenghi I, Turoni F, et al. Effect of therapeutic exercise on pain and disability in the management of chronic nonspecific neck pain: systematic review and meta-analysis of randomized trials. *Phys Ther.* 2013; 93(8):1026-36.
376. Bigos SJ, Holland J, Holland C, Webster JS, Battie M, Malmgren JA. High-quality controlled trials on preventing episodes of back problems: systematic literature review in working-age adults. *Spine J.* 2009; 9(2):147-68.
377. Sitthipornvorakul E, Janwantanakul P, Purepong N, Pensri P, van der Beek AJ. The association between physical activity and neck and low back pain: a systematic review. *Eur Spine J* 2011; 20(5):677-89.
378. Schaafsma F, Schonstein E, Whelan KM, Ulvestad E, Kenny DT, Verbeek JH. Physical conditioning programs for improving work outcomes in workers with back pain. *Cochrane Database Syst Rev.* 2010 Jan 20; (1):CD001822. doi: 10.1002/14651858.CD001822.pub2.
379. Korovessis P, Koureas G, Papazisis Z. Correlation between backpack weight and way of carrying, sagittal and frontal spinal curvatures, athletic activity, and dorsal and low back pain in schoolchildren and adolescents. *J Spinal Disord Tech* 2004;17(1):33-40.
380. Yao W, Mai X, Luo C, Ai F, Chen Q. A cross-sectional survey of nonspecific low back pain among 2083 schoolchildren in China. *Spine* 2011; 36(22):1885-90.
381. Sorge RE, Trang T, Dorfman R, Smith SB, Beggs S, Ritchie J, Austin JS, Zaykin DV, Vander Meulen H, Costigan M, Herbert TA, Yarkoni-Abitbul M, Tichauer D, Livneh J, Gershon E, Zheng M, Tan K, John SL, Slade GD, Jordan J, Woolf CJ, Peltz G, Maixner W, Diatchenko L, Seltzer Z, Salter MW, Mogil JS. Genetically determined P2X7 receptor pore formation regulates variability in chronic pain sensitivity. *Nat Med* 2012; 18(4):595-9.
382. Dominguez CA, Kalliomäki M, Gunnarsson U, Moen A, Sandblom G, Kockum I, Lavant E, Olsson T, Nyberg F, Rygh LJ, Røe C, Gjerstad J, Gordh T, Piehl F. The DQB1 \*03:02 HLA haplotype is associated with increased risk of chronic pain after inguinal hernia surgery and lumbar disc herniation. *Pain.* 2013; 154(3):427-33.
383. Dionne CE, Von Korff M, Koepsell TD, Deyo RA, Barlow WE, Checkoway H. Formal education and back pain: a review. *J Epidemiol Community Health* 2001; 55(7):455-68.
384. Roffey DM, Wai EK, Bishop P, Kwon BK, Dagenais S. Causal assessment of workplace manual handling or assisting patients and low back pain: results of a systematic review. *Spine J.* 2010 Jul; 10(7):639-51.
385. Wai EK, Roffey DM, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational lifting and low back pain: results of a systematic review. *Spine J* 2010; 10(6):554-66.

386. Ribeiro DC, Aldabe D, Abbott JH, Sole G, Milosavljevic S. Dose-response relationship between work-related cumulative postural exposure and low back pain: a systematic review. *Ann Occup Hyg.* 2012 Jul; 56(6):684-96.
387. Wai EK, Roffey DM, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational bending or twisting and low back pain: results of a systematic review. *Spine J.* 2010; 10(1):76-88.
388. Hartvigsen J, Leboeuf-Yde C, Lings S, Corder EH. Is sitting-while-at-work associated with low back pain? A systematic, critical literature review. *Scand J Public Health.* 2000; 28(3):230-9.
389. Bakker EW, Verhagen AP, van Trijffel E, Lucas C, Koes BW. Spinal mechanical load as a risk factor for low back pain: a systematic review of prospective cohort studies. *Spine* 2009; 34(8):E281-93.
390. Roffey DM, Wai EK, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational sitting and low back pain: results of a systematic review. *Spine J.* 2010; 10(3):252-61.
391. Roffey DM, Wai EK, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational standing or walking and low back pain: results of a systematic review. *Spine J.* 2010; 10(3):262-72.
392. Wai EK, Roffey DM, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational carrying and low back pain: results of a systematic review. *Spine J.* 2010; 10(7):628-38.
393. Roffey DM, Wai EK, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational pushing or pulling and low back pain: results of a systematic review. *Spine J.* 2010; 10(6):544-53.
394. Robinson JP, Theodore BR, Dansie EJ, Wilson HD, Turk DC. The role of fear of movement in subacute whiplash-associated disorders grades I and II. *Pain* 2013; 154(3):393-401.
395. Kamper SJ, Maher CG, Menezes Costa Lda C, McAuley JH, Hush JM, Sterling M. Does fear of movement mediate the relationship between pain intensity and disability in patients following whiplash injury? A prospective longitudinal study. *Pain* 2012; 153(1):113-9.
396. Buitenhuis J, de Jong PJ. Fear avoidance and illness beliefs in post-traumatic neck pain. *Spine* 2011; 36(25 Suppl):S238-43.
397. Hoe VC, Kelsall HL, Urquhart DM, Sim MR. Risk factors for musculoskeletal symptoms of the neck or shoulder alone or neck and shoulder among hospital nurses. *Occup Environ Med.* 2012; 69(3):198-204.

398. Linton SJ. A review of psychological risk factors in back and neck pain. *Spine* 2000; 25:1148-1156.
399. Albadalejo C, Kovacs FM, Royuela A, del Pino R, Zamora J et al. 2010. The efficacy of a short education program and a short physiotherapy program for treating low back pain in primary care. A cluster randomized trial. *Spine* 2010; 35:483-496.
400. Jones GT, Watson KD, Silman AJ, Symmons DPM, Macfarlane GJ. Predictors of low back pain in British schoolchildren: A population-based prospective cohort study. *Pediatrics* 2003; 111: 822-828.
401. Lake JK, Power C, Cole T. Back pain and obesity in the 1985 British birth cohort: cause or effect? *J Clin Epidemiol* 2000; 53: 245-250.
402. Negrini S, Carabalona R. Backpacks on! Schoolchildren's perceptions of load, associations with back pain and factors determining the load. *Spine* 2002; 27: 187-195.
403. Sheir-Neiss GI, Kruse RW, Rahman T, Jacobson LP, Pelli JA. The association of backpack use and back pain in adolescents. *Spine* 2003; 28: 922-930.
404. Brackley HM, Stevenson JM. Are children's backpack weight limits enough? A critical review of the relevant literature. *Spine* 2004; 29:2184-90.
405. Goh JH, Thambyah A, Bose K. Effects of varying loads on peak forces in the lumbosacral spine during walking. *Clin Biomech (Bristol, Avon)* 1998;13(suppl1):26-31
406. Lohman E III, Wong M, Glood J, et al. Effects of backpack load and wearing preference on spinal posture in elementary school students. *Phys Ther* 2001; 81:A35.
407. Hong Y, Cheung CK. Gait and posture responses to backpack load during level walking in children. *Gait Posture* 2003; 17:28-33.
408. Lamar SL, Yu B. The effect of backpack weight on forward trunk lean in school age children: a 2-D videographic análisis *Phys Ther Case Rep* 2000; 3:28-31.
409. Hong Y, Li JX, Wong AS, et al. Effects of load carriage on heart rate, blood pressure and energy expenditure in children. *Ergonomics* 2000; 43:717-727.
410. Merati G, Negrini S, Sarchi P, et al. Cardio-respiratory adjustments and cost of locomotion in school children during backpack waliking (the Italian Backpack Study). *Eur J Appl Physiol* 2001; 85:41-8.
411. Sjolie AN. Psychosocial correlates of low-back pain in adolescents. *Eur Spine J* 2002; 11:582-588.
412. Lee J-H, Hoshino Y, Nakamura K, Kariya Y, Saita K, Ito K. Trunk muscle weakness as a risk factor for low back pain: A 5-year prospective study. *Spine* 1999;24: 54-57.
413. Salminen JJ, Erkintalo M, Laine M, Pentti J. Low back pain in the young: a prospective three-year follow-up study of subjects with and without low back pain. *Spine* 1995; 20:2101-2107.

414. Mogensen AM, Gausel AM, Wedderkopp N, Kjaer P, Leboeuf-Yde C. Is active participation in specific sport activities linked with back pain? *Scand J Med Sci Sports.* 2007; 17(6):680-6.
415. Harreby M, Nygaard B, Jessen T, Larsen E, Storr-Paulsen A, Lindahl A, Fisker I, Laegaard E. Risk factors for low back pain in a cohort of 1389 Danish school children: an epidemiologic study. *European Spine Journal* 1999; 8:444-450.
416. Watson KD, Papageorgiou AC, Jones GT, Taylor S, Symmons DPM, Silman AJ, Macfarlane GJ. Low back pain in schoolchildren: the role of mechanical and psychosocial factors. *Arch Dis Child* 2003; 88:12-17.
417. Bahr R, Andersen SO, Løken S, Fossan B, Hansen T, Holme I. Low back pain among endurance athletes with and without specific back loading--a cross-sectional survey of cross-country skiers, rowers, orienteers, and nonathletic controls. *Spine.* 2004; 29(4):449-54.
418. Berk RH. [Lumbar spine injuries in pediatric and adolescent athletes] *Acta Orthop Traumatol Turc.* 2004 ;38 Suppl 1:58-63.
419. Bono CM. Low-back pain in athletes. *J Bone Joint Surg Am.* 2004;86-A(2):382-96.
420. Cupisti A, D'Alessandro C, Evangelisti I, Piazza M, Galetta F, Morelli E. Low back pain in competitive rhythmic gymnasts. *J Sports Med Phys Fitness.* 2004; 44(1):49-53.
421. Jacob T, Baras M, Zeev A, Epstein L. Physical activities and low back pain: a community-based study. *Med Sci Sports Exerc.* 2004; 36(1):9-15.
422. Kraft CN, Urban N, Ilg A, Wallny T, Scharfstädt A, Jäger M, Pennekamp PH. [Influence of the riding discipline and riding intensity on the incidence of back pain in competitive horseback riders] *Sportverletz Sportschaden.* 2007; 21:29-33.
423. Nadler SF, Wu KD, Galski T, Feinberg JH. Low back pain in college athletes. A prospective study correlating lower extremity overuse or acquired ligamentous laxity with low back pain. *Spine.* 1998; 23:828-33.
424. Villavicencio AT, Burneikiene S, Hernández TD, Thramann J. Back and neck pain in triathletes. *Neurosurg Focus.* 2006; 21(4):E7.
425. Limon S, Valinsky LJ, Ben-Shalom Y. Children at risk: risk factors for low back pain in the elementary school environment. *Spine* 2004; 29:697-702.
426. Hänninen O, Koskelo R. Adjustable tables and chairs correct posture and lower muscle tension and pain in high school students. In: Proceedings of the XVth Triennial Congress of the International Ergonomics Association and The 7th Joint Conference of Ergonomics Society of Korea/Japan. Ergonomics Society. Ergonomics in the Digital Age,

- Korea, August 24-29, 2003, pp. 339-342. Seoul, Korea: Ergonomics Society of Korea, 2003. Vol 6.
427. Milanese S, Grimmer K. School furniture and the user population: an anthropometric perspective. *Ergonomics* 2004; 47:416-426.
428. Panagiotopoulou G, Christoulas K, Papanckolaou A, Mandroukas K. Classroom furniture dimensions and anthropometric measures in primary school. *Appl Erg* 2004; 35:121-128.
429. Assunção A, Carnide F, Vieira F, Silva S, Araújo J. 'Mismatch of school furniture and back pain in adolescents with different maturation levels'. *Int. J. Human Factors and Ergonomics* 2013;1(2):66–81.
430. Kristjansdottir G, Rhee H. Risk factors of back pain frequency in schoolchildren: a search for explanations to a public health problem. *Acta Paediatr* 2002; 91: 849-854.
431. Thoomes EJ, Scholten-Peeters W, Koes B, Falla D, Verhagen AP. The Effectiveness of Conservative Treatment for Patients With Cervical Radiculopathy: A Systematic Review. *Clin J Pain*. 2013; 29(12):1073-86.
432. Carroll LJ, Hogg-Johnson S, Côté P, van der Velde G, Holm LW, Carragee EJ, Hurwitz EL, Peloso PM, Cassidy JD, Guzman J, Nordin M, Haldeman S;Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Course and prognostic factors for neck pain in workers: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine*. 2008;33(4 Suppl):S93-100.
433. Kay TM, Gross A, Goldsmith CH, Rutherford S, Voth S, Hoving JL, Brønfort G, Santaguida PL. Exercises for mechanical neck disorders. *Cochrane Database Syst Rev*. 2012 Aug 15;8:CD004250. doi: 10.1002/14651858.CD004250.pub4.
434. Pennick V, Liddle SD. Interventions for preventing and treating pelvic and back pain in pregnancy. *Cochrane Database Syst Rev*. 2013 Aug 1;8:CD001139. (Review)
435. Aleksiev AR. Ten-year follow-up of strengthening versus flexibility exercises with or without abdominal bracing in recurrent low back pain. *Spine (Phila Pa 1976)* 2014; 39(13):997-1003.
436. Dundar U, Solak O, Yigit I, Evcik D, Kavuncu V. Clinical effectiveness of aquatic exercise to treat chronic low back pain: a randomized controlled trial. *Spine (Phila Pa 1976)*. 2009 Jun 15; 34(14):1436-40.
437. Waller B, Lambeck J, Daly D. Therapeutic aquatic exercise in the treatment of low back pain: a systematic review. *Clin Rehabil*. 2009 Jan; 23(1):3-14.
438. Slade SC, Keating JL. Trunk-strengthening exercises for chronic low back pain: a systematic review. *J Manipulative Physiol Ther*. 2006; 29(2):163-73.

439. Machado LA, de Souza Mv, Ferreira PH, Ferreira ML. The McKenzie method for low back pain: a systematic review of the literature with a meta-analysis approach. *Spine* 2006; 31(9):E254-62.
440. Garcia AN, Costa Lda C, da Silva TM, et al. Effectiveness of back school versus McKenzie exercises in patients with chronic nonspecific low back pain: a randomized controlled trial. *Phys Ther*. 2013; 93(6):729-47.
441. Díaz Arribas M, Ramos Sánchez M, Pardo Hervás P, López Chicharro J, Angulo Carreré T, Ortega Molina P, Astasio Arbiza P. Effectiveness of the physical therapy Godelieve Denys- Struyf method for nonspecific low back pain: primary care randomized control trial. *Spine* 2009; 34(15):1529-1538.
442. Haladay DE, Miller SJ, Challis J, Denegar CR. Quality of systematic reviews on specific spinal stabilization exercise for chronic low back pain. *J Orthop Sports Phys Ther*. 2013; 43(4):242-50.
443. Byström MG, Rasmussen-Barr E, Grooten WJ. Motor control exercises reduces pain and disability in chronic and recurrent low back pain: a meta-analysis. *Spine*. 2013; 38(6):E350-8.
444. Cramer H, Lauche R, Haller H, Dobos G. A systematic review and meta-analysis of yoga for low back pain. *Clin J Pain*. 2013; 29(5):450-60.
445. Büsing A, Ostermann T, Lüdtke R, Michalsen A. Effects of yoga interventions on pain and pain-associated disability: a meta-analysis. *J Pain*. 2012; 13(1):1-9.
446. Posadzki P, Ernst E. Yoga for low back pain: a systematic review of randomized clinical trials. *Clin Rheumatol*. 2011; 30(9):1257-62.
447. Pereira LM, Obara K, Dias JM, Menacho MO, Guariglia DA, Schiavoni D, Pereira HM, Cardoso JR. Comparing the Pilates method with no exercise or lumbar stabilization for pain and functionality in patients with chronic low back pain: systematic review and meta-analysis. *Clin Rehabil*. 2012; 26(1):10-20.
448. Wells C, Kolt GS, Marshall P, Hill B, Bialocerkowski A. Effectiveness of Pilates exercise in treating people with chronic low back pain: a systematic review of systematic reviews. *BMC Med Res Methodol*. 2013 Jan 19; 13:7.
449. Aladro-Gonzalvo AR, Araya-Vargas GA, Machado-Díaz M, Salazar-Rojas W. Pilates-based exercise for persistent, non-specific low back pain and associated functional disability: a meta-analysis with meta-regression. *J Bodyw Mov Ther*. 2013 Jan; 17(1):125-36.
450. Fairbank J, Gwilym SE, France JC, Daffner SD, Dettori J, Hermsmeyer J, Andersson G. The role of classification of chronic low back pain. *Spine* 2011; 36(21 Suppl):S19-42.

451. Slade SC, Keating JL. Unloaded movement facilitation exercise compared to no exercise or alternative therapy on outcomes for people with nonspecific chronic low back pain: a systematic review. *J Manipulative Physiol Ther.* 2007; 30(4):301-11.
452. Kent P, Mjøsund HL, Petersen DH. Does targeting manual therapy and/or exercise improve patient outcomes in nonspecific low back pain? A systematic review. *BMC Med.* 2010 Apr 8;8:22. doi: 10.1186/1741-7015-8-22.
453. Macedo LG, Maher CG, Latimer J, McAuley JH. Motor control exercise for persistent, nonspecific low back pain: a systematic review. *Phys Ther.* 2009; 89:9–25.
454. Sherman KJ, Cherkin DC, Wellman RD, Cook AJ, Hawkes RJ, Delaney K, Deyo RA. A randomized trial comparing yoga, stretching, and a self-care book for chronic low back pain. *Arch Intern Med.* 2011; 171(22):2019-26.
455. Brooks C, Kennedy S, Marshall PW. Specific trunk and general exercise elicit similar changes in anticipatory postural adjustments in patients with chronic low back pain: a randomized controlled trial. *Spine* 2012; 37(25):E1543-50.
456. Burton AK, Balagué F, Cardon G, Eriksen HR, Henrotin Y, Lahad A, Leclerc A, Müller G, van der Beek AJ; COST B13 Working Group on Guidelines for Prevention in Low Back Pain. Chapter 2. European guidelines for prevention in low back pain *Eur Spine J.* 2006;15 Suppl 2:S136-68.
457. Steiger F, Wirth B, de Bruin ED, Mannion AF. Is a positive clinical outcome after exercise therapy for chronic non-specific low back pain contingent upon a corresponding improvement in the targeted aspect(s) of performance? A systematic review. *Eur Spine J* 2012; 21(4):575-98. Doi: 10.1007/s00586-011-2045-6. Epub 2011 Nov 10.
458. Marshall PW, Kennedy S, Brooks C, Lonsdale C. Pilates Exercise or Stationary Cycling for Chronic Nonspecific Low Back Pain: Does it Matter? A Randomized Controlled Trial With 6-Month Follow-up. *Spine* 2013; 38(15):E952-9.
459. Surkitt LD, Ford JJ, Hahne AJ, Pizzari T, McMeeken JM. Efficacy of directional preference management for low back pain: a systematic review. *Phys Ther.* 2012; 92(5):652-65.
460. Andersson BJ, Ortengren R, Nachemson A, Elfström G. Lumbar disc pressure and myoelectric back muscle activity during sitting. I. Studies on an experimental chair. *Scand J Rehabil Med.* 1974; 6(3):104-14.
461. Andersson BJ, Ortengren R, Nachemson A, Elfström G. Lumbar disc pressure and myoelectric back muscle activity during sitting. IV. Studies on a car driver's seat. *Scand J Rehabil Med.* 1974 ;6(3):128-33.

462. Andersson BJ, Ortengren R, Nachemson AL, Elfström G, Broman H. The sitting posture: an electromyographic and discometric study. *Orthop Clin North Am.* 1975; 6(1):105-20.
463. Nachemson A. Towards a better understanding of low-back pain: a review of the mechanics of the lumbar disc. *Rheumatol Rehabil.* 1975;14(3):129-43
464. Nachemson AL. Disc pressure measurements. *Spine* 1981; 6(1):93-7.
465. Wilke HJ, Neef P, Caimi M, Hoogland T, Claes LE. New in vivo measurements of pressures in the intervertebral disc in daily life. *Spine* 1999; 24(8):755-62.
466. Sato K, Kikuchi S, Yonezawa T. In vivo intradiscal pressure measurement in healthy individuals and in patients with ongoing back problems. *Spine* 1999; 24(23):2468-74.
467. Rohlmann A, Claes LE, Bergmann G, Graichen F, Neef P, Wilke HJ. Comparison of intradiscal pressures and spinal fixator loads for different body positions and exercises. *Ergonomics.* 2001; 44(8):781-94.
468. Engers A, Jellema P, Wensing M, van der Windt DA, Grol R, van Tulder MW. Individual patient education for low back pain. *Cochrane Database Syst Rev.* 2008 Jan 23;(1):CD004057. Doi: 10.1002/14651858.CD004057.pub3.
469. Bonetti F, Curti S, Mattioli S, Mugnai R, Vanti C, Violante FS, Pillastrini P. Effectiveness of a 'Global Postural Reeducation' program for persistent low back pain: a non-randomized controlled trial. *BMC Musculoskelet Disord.* 2010 Dec 16;11:285. Doi: 10.1186/1471-2474-11-285.
470. Little P, Lewith G, Webley F, Evans M, Beattie A, Middleton K, Barnett J, Ballard K, Oxford F, Smith P, Yardley L, Hollinghurst S, Sharp D. Randomised controlled trial of Alexander technique lessons, exercise, and massage (ATEAM) for chronic and recurrent back pain. *BMJ.* 2008 Aug 19;337:a884. Doi: 10.1136/bmj.a884.
471. Hollinghurst S, Sharp D, Ballard K, Barnett J, Beattie A, Evans M, Lewith G, Middleton K, Oxford F, Webley F, Little P. Randomised controlled trial of Alexander technique lessons, exercise, and massage (ATEAM) for chronic and recurrent back pain: economic evaluation. *BMJ.* 2008 Dec 11;337:a2656. Doi: 10.1136/bmj.a2656.
472. Fundación Kovacs. El Tebeo de la Espalda. Fundación Kovacs, Palma de Mallorca 2008. Disponible en [www.kovacs.org/es\\_publicaciones\\_documentaciondivulgativa.html#documentacionparaescolares](http://www.kovacs.org/es_publicaciones_documentaciondivulgativa.html#documentacionparaescolares), visitada el 17 de agosto de 2013.
473. Fundacion Kovacs. El Manual de la Espalda. Fundación Kovacs, Palma de Mallorca 2002. Disponible en

[www.kovacs.org/es\\_publicaciones\\_documentaciondivulgativa.html#Informacionparapacientesy poblacionengeneral](http://www.kovacs.org/es_publicaciones_documentaciondivulgativa.html#Informacionparapacientesy poblacionengeneral), visitada el 17 de agosto de 2013.

474. Burton AK, Waddell G, Tillotson KM, Summerton N. Information and advice to patients with back pain can have a positive effect. A randomized controlled trial of a novel educational booklet in primary care. *Spine* 1999; 24(23):2484-91.
475. Udermann BE, Spratt KF, Donelson RG, Mayer J, Graves JE, Tillotson J. Can a patient educational book change behavior and reduce pain in chronic low back pain patients? *Spine J.* 2004; 4(4):425-35.
476. Frost H, Lamb SE, Doll HA, Carver PT, Stewart-Brown S. Randomised controlled trial of physiotherapy compared with advice for low back pain. *BMJ*. 2004; 329(7468):708.
477. European Committee for Standardization. Domestic Furniture. Beds and mattresses: test method for the determination of functional characteristics. CEN/TC207/WG1/TG4. Brussels: Comité Européen de Normalisation, 1996.
478. Bergholdt K, Fabricius RN, Bendix T. Better backs by better beds? *Spine* 2008; 33(7):703-8.
479. Garfin SR, Pye SA. Bed design and its effect on chronic low back pain--a limited controlled trial. *Pain*. 1981; 10(1):87-91.
480. Jacobson BH, Gemmell HA, Hayes BM, Altena TS. Effectiveness of a selected bedding system on quality of sleep, low back pain, shoulder pain, and spine stiffness. *J Manipulative Physiol Ther*. 2002; 25(2):88-92.
481. Jacobson BH, Wallace T, Gemmell H. Subjective rating of perceived back pain, stiffness and sleep quality following introduction of medium-firm bedding systems. *J Chiropr Med*. 2006; 5(4):128-34.
482. Jacobson BH, Boolani A, Dunklee G, Shepardson A, Acharya H. Effect of prescribed sleep surfaces on back pain and sleep quality in patients diagnosed with low back and shoulder pain. *Appl Ergon*. 2010; 42(1):91-7.
483. Monsein M, Corbin TP, Culliton PD, Merz D, Schuck EA. Short-term outcomes of chronic back pain patients on an airbed vs innerspring mattresses. *MedGenMed*. 2000; 2(3):E36.
484. Normand MC, Descarreaux M, Poulin C, Richer N, Mailhot D, Black P, Dugas C. Biomechanical effects of a lumbar support in a mattress. *J Can Chiropr Assoc*. 2005; 49(2):96-101.
485. Scriver V, Crowe J, Wilkinson A, Meadowcroft C. A randomized controlled trial of the effectiveness of exercise and/or alternating air mattress in the control of back pain after percutaneous transluminal coronary angioplasty. *Heart Lung*. 1994; 23(4):308-16.

486. Van Duijvenbode IC, Jellema P, van Poppel MN, van Tulder MW. Lumbar supports for prevention and treatment of low back pain. *Cochrane Database Syst Rev*. 2008 Apr 16;(2):CD001823. doi: 10.1002/14651858.CD001823.pub3.
487. Persson LC, Carlsson CA, Carlsson JY. Long-lasting cervical radicular pain managed with surgery, physiotherapy, or a cervical collar. A prospective, randomized study. *Spine* 1997; 22(7):751-8.
488. Roelofs PD, Bierma-Zeinstra SM, van Poppel MN, Jellema P, Willemsen SP, van Tulder MW, van Mechelen W, Koes BW. Lumbar supports to prevent recurrent low back pain among home care workers: a randomized trial. *Ann Intern Med*. 2007;147(10):685-92.
489. Calmels P, Queneau P, Hamonet C, Le Pen C, Maurel F, Lerouvreur C, Thoumie P. Effectiveness of a lumbar belt in subacute low back pain: an open, multicentric, and randomized clinical study. *Spine* 2009; 34(3):215-20.
490. Bettany-Saltikov J, Warren J, Jobson M. Ergonomically designed kneeling chairs are they worth it? : Comparison of sagittal lumbar curvature in two different seating postures. *Stud Health Technol Inform*. 2008; 140:103-6.
491. Grondin DE, Triano JJ, Steven T, Soave D. The effect of a lumbar support pillow on lumbar posture and comfort during a prolonged seated task. *Chiropr Man Therap*. 2013; 21(1):21.
492. Driessen MT, Proper KI, van Tulder MW, Anema JR, Bongers PM, van der Beek AJ. The effectiveness of physical and organisational ergonomic interventions on low back pain and neckpain: a systematic review. *Occup Environ Med*. 2010; 67(4):277-85.
493. Mika A, Oleksy L, Mika P, Marchewka A, Clark BC. The effect of walking in high- and low-heeled shoes on erector spinae activity and pelvis kinematics during gait. *Am J Phys Med Rehabil*. 2012; 91(5):425-34.
494. Mattila VM, Sillanpää P, Salo T, Laine HJ, Mäenpää H, Pihlajamäki H. Orthotic insoles do not prevent physical stress-induced low back pain. *Eur Spine J*. 2011; 20(1):100-4.
495. Sahar T, Cohen MJ, Uval-Ne'eman V, Kandel L, Odebiyi DO, Lev I, Brezis M, Lahad A. Insoles for prevention and treatment of back pain: a systematic review within the framework of the Cochrane Collaboration Back Review Group. *Spine* 2009; 34(9):924-33.
496. Winemiller MH, Billow RG, Laskowski ER, Harmsen WS. Effect of magnetic vs sham-magnetic insoles on nonspecific foot pain in the workplace: a randomized, double-blind, placebo-controlled trial. *Mayo Clin Proc*. 2005; 80(9):1138-45.
497. Larsen K, Weidich F, Leboeuf-YdC. Can custom-made biomechanic shoe orthoses prevent problems in the back and lower extremities? A randomized, controlled intervention trial of 146 military conscripts. *J Manipulative Physiol Ther* 2002; 25(5):326-31.

498. Shabat S, Gefen T, Nyska M, Folman Y, Gepstein R. The effect of insoles on the incidence and severity of low back pain among workers whose job involves long-distance walking. *Eur Spine J.* 2005; 14(6):546-50.
499. Defrin R, Ben Benyamin S, Aldubi RD, Pick CG. Conservative correction of leg-length discrepancies of 10mm or less for the relief of chronic low back pain. *Arch Phys Med Rehabil.* 2005; 86(11):2075-80.
500. Buchecker M, Lindinger S, Pfusterschmied J, Müller E. Effects of age on lower extremity joint kinematics and kinetics during level walking with Masai barefoot technology shoes. *Eur J Phys Rehabil Med.* 2013; 49(5):675-86.
501. Nigg BM, Emery C, Hiemstra LA. Unstable shoe construction and reduction of pain in osteoarthritis patients. *Med Sci Sports Exerc.* 2006 Oct; 38(10):1701-8.
502. Trombini-Souza F, Fuller R, Matias A, Yokota M, Butugan M, Goldenstein-Schainberg C, Sacco IC. Effectiveness of a long-term use of a minimalist footwear versus habitual shoe on pain, function and mechanical loads in knee osteoarthritis: a randomized controlled trial. *BMC Musculoskelet Disord.* 2012 Jul 12; 13:121. doi: 10.1186/1471-2474-13-121.
503. Macrae CS, Lewis JS, Shortland AP, Morrissey M, Critchley D. Effectiveness of Rocker Sole Shoes in the Management of Chronic Low Back Pain: A Randomised Clinical Trial. *Spine* 2013; 38(22):1905-12.
504. Rubinstein SM, van Middelkoop M, Assendelft WJ, de Boer MR, van Tulder MW. Spinal manipulative therapy for chronic low-back pain. *Cochrane Database Syst Rev.* 2011 Feb 16;(2):CD008112. doi: 10.1002/14651858.CD008112.pub2.
505. Rubinstein SM, Terwee CB, Assendelft WJ, de Boer MR, van Tulder MW. Spinal manipulative therapy for acute low-back pain. *Cochrane Database Syst Rev.* 2012 Sep 12;9:CD008880. doi: 10.1002/14651858.CD008880.pub2.
506. Gross A, Miller J, D'Sylva J, Burnie SJ, Goldsmith CH, Graham N, Haines T, Brønfort G, Hoving JL. Manipulation or mobilisation for neck pain. *Cochrane Database Syst Rev.* 2010 Jan 20;(1):CD004249. Doi: 10.1002/14651858.CD004249.pub3.
507. Van Tulder MW, Assendelft WJ, Koes BW, Bouter LM. Spinal radiographic findings and nonspecific low back pain. A systematic review of observational studies. *Spine* 1997; 22:427-434.
508. Hoffmann TC, Del Mar CB, Strong J, Mai J. Patients' expectations of acute low back pain management: implications for evidence uptake. *BMC Fam Pract.* 2013 Jan 8;14:7. doi: 10.1186/1471-2296-14-7.
509. Van Ravesteijn H, van Dijk I, Darmon D, van de Laar F, Lucassen P, Hartman TO, van Weel C, Speckens A. The reassuring value of diagnostic tests: a systematic review. *Patient Educ Couns.* 2012 Jan; 86(1):3-8.

510. Pham HH, Landon BE, Reschovsky JD, Wu B, Schrag D. Rapidity and modality of imaging for acute low back pain in elderly patients. *Arch Intern Med.* 2009;169(10):972-81
511. Deyo RA, Mirza SK, Turner JA, et al. Overtreating chronic back pain: time to back off? *J Am Board Fam Med* 2009; 22:62-8.
512. Lehnert BE, Bree RL. Analysis of appropriateness of outpatient CT and MRI referred from primary care clinics at an academic medical center: how critical is the need for improved decision support? *J Am Coll Radiol* 2010; 7:192-7.
513. Deyo RA. Imaging idolatry: the uneasy intersection of patient satisfaction, quality of care, and overuse. *Arch Intern Med* 2009; 169:921-3.
514. Srinivas SV, Deyo RA, Berger ZD. Application of «less is more» to low back pain. *Arch Intern Med* 2012; 172:1016-20.
515. Rodríguez Recio F, Sanz JC, Peiró S, et al. Utilización inapropiada de la resonancia magnética lumbar en un área de salud. *Radiología* 1999; 41:553-6.
516. Guiral Eslava J, Gracia Gutiérrez N, Vigil Escribano D. Adecuación de la solicitud de la resonancia magnética en el Servicio de Cirugía Ortopédica y Traumatología del Hospital General de Segovia, durante el año 2000. *Rev Ortop Traumatol* 2003; 47:170-4.
517. Kovacs FM, Arana E, Royuela A, Cabrera A, Casillas C, Piñero P, Vega M, Estremera A, Amengual G, Sarasíbar H, Ferrer P, Manjarrés A, Zamarro J, Bravo-Rodríguez F, Paniagua JC, Mota J, Sánchez-Sagrado T, Abraira V. Appropriateness of lumbar spine magnetic resonance imaging in Spain. *Eur J Rad* 2013; 82:1008-1014.
518. Shreibati JB, Baker LC. The relationship between low back magnetic resonance imaging, surgery, and spending: impact of physician self-referral status. *Health Serv Res.* 2011; 46(5):1362-81.
519. Iversen T, Solberg TK, Romner B, Wilsgaard T, Nygaard Ø, Waterloo K, Brox JI, Ingebrigtsen T. Accuracy of physical examination for chronic lumbar radiculopathy. *BMC Musculoskelet Disord.* 2013 Jul 9;14:206. Doi: 10.1186/1471-2474-14-206.
520. Suri P, Rainville J, Kalichman L, Katz JN. Does this older adult with lower extremity pain have the clinical syndrome of lumbar spinal stenosis? *JAMA* 2010; 304(23):2628-36.
521. Suri P, Rainville J, Katz JN, Jouve C, Hartigan C, Limke J, Pena E, Li L, Swaim B, Hunter DJ. The accuracy of the physical examination for the diagnosis of midlumbar and low lumbar nerve root impingement. *Spine* 2011; 36(1):63-73.
522. Hassan A, Hameed B, Islam M, Khealani B, Khan M, Shafqat S. Clinical predictors of EMG-confirmed cervical and lumbosacral radiculopathy. *Can J Neurol Sci.* 2013 Mar; 40(2):219-24.

523. Coster S, de Brujin SF, Tavy DL. Diagnostic value of history, physical examination and needle electromyography in diagnosing lumbosacral radiculopathy. *J Neurol*. 2010; 257(3):332-7.
524. Anekstein Y, Blecher R, Smorgick Y, Mirovsky Y. What is the best way to apply the Spurling test for cervical radiculopathy? *Clin Orthop Relat Res*. 2012; 470(9):2566-72.
525. Nordin M, Carragee EJ, Hogg-Johnson S, Weiner SS, Hurwitz EL, Peloso PM, Guzman J, van der Velde G, Carroll LJ, Holm LW, Côté P, Cassidy JD, Haldeman S; Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Assessment of neck pain and its associated disorders: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine* 2008; 33(4 Suppl):S101-22.
526. Crownover BK, Bepko JL. Appropriate and safe use of diagnostic imaging. *Am Fam Physician*. 2013; 87(7):494-501.
527. Carragee EJ, Don AS, Hurwitz EL, Cuellar JM, Carrino J, Herzog R 2009 ISSLS Prize Winner: Does Discography Cause Accelerated Progression of Degeneration Changes in the Lumbar Disc. A Ten-Year Matched Cohort Study. *Spine* 2009; 34:2338–2345.
528. Marc V, Dromer C, Le Guennec P, Manelfe C, Fournie B. Magnetic resonance imaging and axial involvement in spondylarthropathies. Delineation of the spinal entheses. *Rev Rhum - Engl Ed*. 1997; 64:465-473.
529. Hanly JG, Barnes DC, Mitchell MJ, MacMillan L, Docherty P. Single photon emission computed tomography in the diagnosis of inflammatory spondyloarthropathies. *J Rheumatol*. 1993; 20:2062-2068.
530. Van den Hoogen HM, Koes BW, van Eijk JT, Bouter LM. On the accuracy of history, physical examination, and erythrocyte sedimentation rate in diagnosing low back pain in general practice. A criteria-based review of the literature. *Spine (Phila Pa 1976)*. 1995 Feb 1; 20(3):318-27.
531. Khan MA, Khan MK. Diagnostic value of HLA-B27 testing in ankylosing spondylitis and Reiter's syndrome. *Ann Intern Med*. 1982; 96:70-76.
532. Heymans MW, van Tulder MW, Esmail R, Bombardier C, Koes BW. Back schools for non-specific low-back pain. *Cochrane Database Syst Rev*. 2004 Oct 18; (4):CD000261.
533. Lewis SE, Holmes PS, Woby SR, Hindle J, Fowler NE. Short-term effect of superficial heat treatment on paraspinal muscle activity, stature recovery, and psychological factors in patients with chronic low back pain. *Arch Phys Med Rehabil*. 2012 Feb; 93(2):367-72.

534. French SD, Cameron M, Walker BF, Reggars JW, Esterman AJ. Superficial heat or cold for low back pain. *Cochrane Database Syst Rev*. 2006 Jan 25; (1):CD004750.
535. Nadler SF, Steiner DJ, Erasala GN, Hengehold DA, Hinkle RT, Beth Goodale M, Abeln SB, Weingand KW. Continuous low-level heat wrap therapy provides more efficacy than Ibuprofen and acetaminophen for acute low back pain. *Spine* 2002; 27(10):1012-7.
536. Lloyd A, Scott DA, Akehurst RL, Lurie-Luke E, Jessen G. Cost-effectiveness of low-level heat wrap therapy for low back pain. *Value Health*. 2004; 7(4):413-22.
537. Ginsberg F, Famaey JP. A double-blind study of topical massage with Rado-Salil ointment in mechanical low-back pain. *J Int Med Res*. 1987; 15(3):148-53.
538. Da Silva AG, de Sousa CP, Koehler J, Fontana J, Christo AG, Guedes-Bruni RR. Evaluation of an extract of Brazilian arnica (*Solidago chilensis* Meyen, Asteraceae) in treating lumbago. *Phytother Res*. 2010 Feb; 24(2):283-7.
539. Gagnier JJ, van Tulder MW, Berman B, Bombardier C. Herbal medicine for low back pain: a Cochrane review. *Spine* 2007 1; 32(1):82-92.
540. Predel HG, Giannetti B, Pabst H, Schaefer A, Jug A, Burnett I. Efficacy and safety of diclofenac diethylamine 1.16% gel in acute neck pain: a randomized, double-blind, placebo-controlled study. *BMC Musculoskeletal Disorders* 2013; 14:250. Doi:1:10.1186/1471-2474-14-250.
541. Cui X, Trinh K, Wang YJ. Chinese herbal medicine for chronic neck pain due to cervical degenerative disc disease. *Cochrane Database Syst Rev*. 2010 Jan 20;(1):CD006556. Doi: 10.1002/14651858.CD006556.pub2.
542. Roelofs PD, Deyo RA, Koes BW, Scholten RJ, van Tulder MW. Non-steroidal anti-inflammatory drugs for low back pain. *Cochrane Database Syst Rev*. 2008 Jan 23;(1):CD000396. doi: 10.1002/14651858.CD000396.pub3.
543. Deyo RA. Drug therapy for back pain. Which drugs help which patients? *Spine* 1996; 21(24):2840-50.
544. Friedman BW, Esses D, Solorzano C, Choi HK, Cole M, Davitt M, Bijur PE, Gallagher EJ. A randomized placebo-controlled trial of single-dose IM corticosteroid for radicular low back pain. *Spine* 2008; 33(18):E624-9.
545. Van Tulder MW, Touray T, Furlan AD, Solway S, Bouter LM. Muscle relaxants for non-specific low back pain. *Cochrane Database Syst Rev*. 2003; (2):CD004252.
546. Romanò CL, Romanò D, Bonora C, Mineo G. Pregabalin, celecoxib, and their combination for treatment of chronic low-back pain. *J Orthop Traumatol* 2009; 10(4):185-91.
547. Hedeboe J, Buhl M, Ramsing P. Effects of using dexamethasone and placebo in the treatment of prolapsed lumbar disc. *Acta Neurol Scand* 1982; 65(1):6-10.

548. Finckh A, Zufferey P, Schurch MA, Balagué F, Waldburger M, So AK. Short-term efficacy of intravenous pulse glucocorticoids in acute discogenic sciatica. A randomized controlled trial. *Spine* 2006; 31(4):377–81.
549. Porsman O, Friis H. Prolapsed lumbar disc treated with intramuscularly administered dexamethasonephosphate. A prospectively planned, double-blind, controlled clinical trial in 52 patients. *Scand J Rheumatol* 1979; 8(3):142–4.
550. Haimovic IC, Beresford HR. Dexamethasone is not superior to placebo for treating lumbosacral radicular pain. *Neurology* 1986; 36(12):1593–4.
551. Lin CW, Haas M, Maher CG, Machado LA, van Tulder MW. Cost-effectiveness of guideline-endorsed treatments for low back pain: a systematic review. *Eur Spine J* 2011; 20(7):1024-38.
552. Moreno J, Gestoso M, Kovacs FM. La efectividad de la intervención neurorreflejoterápica en el tratamiento de la patología mecánica del raquis: resultados preliminares. *Medicina del Trabajo* 1992; 1:433-43.
553. Kovacs FM, Abraira V, López-Abente G, Pozo F. La intervención neurorreflejoterápica en el tratamiento de la lumbalgia inespecífica: un ensayo clínico controlado, aleatorizado, a doble ciego. *Med Clin (Barc)* 1993; 101:570-5.
554. Kovacs FM, Abraira V, Pozo F, Kleinbaum DG, Beltrán J, Mateo I, et al. Local and remote sustained trigger point therapy for exacerbations of chronic low back pain. A randomized, double blind, controlled, multicenter trial. *Spine* 1997; 22: 786-97.
555. Kovacs FM, Llobera J, Abraira V, Lázaro P, Pozo F, Kleinbaum D, and the KAP Group. Effectiveness and cost effectiveness analysis of neuroreflexotherapy for subacute and chronic low back pain in routine general practice. A cluster randomized, controlled trial. *Spine* 2002; 27:1149-59.
556. Urrútia G, Burton AK, Morral Fernández A, Bonfill Cosp X, Zanoli G. Neuroreflexotherapy for non-specific low-back pain. *Cochrane Database of Systematic Reviews* 2004, Issue 2. Art. N°: CD003009. doi: 10.1002/14651858.CD003009.pub2.
557. Grupo para el Pilotaje de la Intervención NRT en el Sistema Nacional de Salud (PINS): Intervención neurorreflejoterápica para el tratamiento de las enfermedades mecánicas del raquis. Resultados de una experiencia piloto. *Gac Sanit* 2004; 18:275-86.
558. Corcoll J, Orfila J, Tobajas P, Alegre L. Implementation of neuroreflexotherapy for subacute and chronic neck and back pain within the Spanish public health system: audit after one year. *Health Policy* 2006; 79:345-357
559. Pallicer A, Corcoll J, Orfila J. Implementation and post-marketing surveillance of neuroreflexotherapy in the routine practice of the Spanish Public Health System. IX International Forum on Low Back Pain Research, Palma de Mallorca, October 2007, disponible en

- www.aemen.es/descargas/Implementationandpostmarketingsurveillanceofneuroreflexotherapy.pdf, visitada el 17 de junio de 2014.
560. Campillo C, Kovacs F. The use of risk sharing tools for post adoption surveillance of a non pharmacological technology in routine practice: results after one year. BMC Health Serv Res 2013; 13:181. Doi: 10.1186/1472-6963-13-181.
561. AEMEN-Asociación Española de Médicos Neurorreflejoterapeutas. Criterios de certificación de Unidades. Disponible en: <http://aemen.es/criterios.html>, visitada el 31 de agosto de 2013.
562. AEMEN-Asociación Española de Médicos Neurorreflejoterapeutas. Criterios de formación y certificación del mantenimiento de la capacidad asistencial. Disponible en [www.aemen.es/formacion.html](http://www.aemen.es/formacion.html), visitada el 31 de agosto de 2013.
563. Ostelo RW, Costa LO, Maher CG, de Vet HC, van Tulder MW. Rehabilitation after lumbar disc surgery: an update Cochrane review. Spine 2009;34(17):1839-48.
564. Furlan AD, Imamura M, Dryden T, Irvin E. Massage for low-back pain. Cochrane Database Syst Rev. 2008 Oct 8;(4):CD001929. Doi: 10.1002/14651858.CD001929.pub2.
565. Patel KC, Gross A, Graham N, Goldsmith CH, Ezzo J, Morien A, Peloso PM. Massage for mechanical neck disorders. Cochrane Database Syst Rev. 2012 Sep 12;9:CD004871. Doi: 10.1002/14651858.CD004871.pub4.
566. Cherkin DC, Sherman KJ, Deyo RA, Shekelle PG. A Review of the Evidence for the Effectiveness, Safety, and Cost of Acupuncture, Massage Therapy, and Spinal Manipulation for Back Pain. Ann Intern Med. 2003; 138:898-906.
567. Cherkin DC, Sherman KJ, Kahn J, Wellman R, Cook AJ, Johnson E, Erro J, Delaney K, Deyo RA. A comparison of the effects of 2 types of massage and usual care on chronic low back pain: a randomized, controlled trial. Ann Intern Med. 2011 Jul 5; 155(1):1-9.
568. Kong LJ, Zhan HS, Cheng YW, Yuan WA, Chen B, Fang M. Massage Therapy for Neck and Shoulder Pain: A Systematic Review and Meta-Analysis Evid Based Complement Alternat Med. 2013; 2013: 613279.
569. Urquhart DM, Hoving JL, Assendelft WW, Roland M, van Tulder MW. Antidepressants for non-specific low back pain. Cochrane Database Syst Rev. 2008 Jan 23; (1):CD001703. doi: 10.1002/14651858.CD001703.pub3.
570. Moore RA, Derry S, Aldington D, Cole P, Wiffen PJ. Amitriptyline for neuropathic pain and fibromyalgia in adults. Cochrane Database Syst Rev. 2012 Dec 12; 12:CD008242.
571. Chaparro LE, Wiffen PJ, Moore RA, Gilron I. Combination pharmacotherapy for the treatment of neuropathic pain in adults. Cochrane Database Syst Rev. 2012 Jul 11; 7:CD008943.

572. Saarto T, Wiffen PJ. Antidepressants for neuropathic pain. Cochrane Database Syst Rev. 2007 Oct 17;(4):CD005454.
573. Deshpande A, Furlan A, Mailis-Gagnon A, Atlas S, Turk D. Opioids for chronic low-back pain. Cochrane Database Syst Rev. 2007 Jul 18;(3):CD004959.
574. Chaparro LE, Furlan AD, Deshpande A, Mailis-Gagnon A, Atlas S, Turk DC. Opioids compared to placebo or other treatments for chronic low-back pain. Cochrane Database Syst Rev. 2013 Aug 27; 8:CD004959.
575. McNicol ED, Midbari A, Eisenberg E. Opioids for neuropathic pain. Cochrane Database Syst Rev. 2013 Aug 29; 8:CD006146.
576. Manchikanti L, Fellows B, Ailinani H, Pampati V. Therapeutic use, abuse, and nonmedical use of opioids: a ten-year perspective. Pain Physician. 2010; 13(5):401-35.
577. Sjøgren P, Grønbæk M, Peuckmann V, Ekholm O. A population-based cohort study on chronic pain: the role of opioids. Clin J Pain. 2010; 26(9):763-9.
578. Stein C, Reinecke H, Sorgatz H. Opioid use in chronic noncancer pain: guidelines revisited. Curr Opin Anaesthesiol. 2010; 23(5):598-601.
579. Katz MH. Long-term opioid treatment of nonmalignant pain: A believer loses his faith, Archives of Internal Medicine, 2010; 170(16):1422–4.
580. Henschke N, Ostelo RW, van Tulder MW, Vlaeyen JW, Morley S, Assendelft WJ, Main CJ. Cochrane Database Syst Rev. 2010 Jul 7; (7):CD002014. Doi: 10.1002/14651858.CD002014.pub3. Behavioural treatment for chronic low-back pain.
581. Langevin P, Peloso PM, Lowcock J, Nolan M, Weber J, Gross A, Roberts J, Goldsmith CH, Graham N, Burnie SJ, Haines T. Botulinum toxin for subacute/chronic neck pain. Cochrane Database Syst Rev. 2011 Jul 6; (7):CD008626.
582. Waseem Z, Boulias C, Gordon A, Ismail F, Sheean G, Furlan AD. Botulinum toxin injections for low-back pain and sciatica. Cochrane Database Syst Rev. 2011 Jan 19; (1):CD008257. doi: 10.1002/14651858.CD008257.pub2. Review.
583. Carreyrou J, McGinty T. Top Spine Surgeons Reap Royalties, Medicare Bounty. Wall Street Journal, 20 de diciembre de 2010 <http://online.wsj.com/article/SB10001424052748703395204576024023361023138.html>, visitada el 21 de diciembre de 2010.
584. Carreyrou J. Senators probe of surgeons. Wall Street Journal, 9 de junio de 2011. [http://online.wsj.com/article\\_email/SB10001424052702304778304576373592455703056-IMyQjAxMTAxMDAwOTEwNDkyWj.html](http://online.wsj.com/article_email/SB10001424052702304778304576373592455703056-IMyQjAxMTAxMDAwOTEwNDkyWj.html) visitada el 9 de junio de 2011.
585. Kmietowicz Z. Senators question Medtronic about unreported side effects of spinal protein. BMJ 2011;343:d4284. Doi: 10.1136/bmj.d4284

586. Carragee EJ, Ghanayem AJ, Weiner BK, Rothman DJ, Bono CM  
A challenge to integrity in spine publications: years of living dangerously with the promotion of bone growth factors. *Spine J.* 2011; 11(6):463-8.
587. Fu R, Selph S, McDonagh M, Peterson K, Tiwari A, Chou R, Helfand M  
Effectiveness and Harms of Recombinant Human Bone Morphogenetic Protein-2 in Spine Fusion. A Systematic Review and Meta-analysis. *Ann Intern Med.* 2013; 158:890-902.
588. Simmonds MC, Brown JVE, Heirs MK, Higgins JPT, Mannion RJ, Rodgers MA, Stewart LA. Safety and Effectiveness of Recombinant Human Bone Morphogenetic Protein-2 for Spinal Fusion. A Meta-analysis of Individual-Participant Data. *Ann Intern Med.* 2013; 158:877-889.
589. Rodgers MA, Brown JVE, Heirs MK, Higgins JPT, Mannion RJ, Simmonds M, Stewart LA. Reporting of industry funded study outcome data: comparison of confidential and published data on the safety and effectiveness of rhBMP-2 for spinal fusion. *BMJ* 2013;346:f3981 doi: 10.1136/bmj.f3981 (Published 20 June 2013).
590. Carragee EJ, Hurwitz EL, Weiner BK. A critical review of recombinant human bone morphogenetic protein-2 trials in spinal surgery: emerging safety concerns and lessons learned. *Spine J* 2011; 11:471-491.
591. Carragee EJ, Baker RM, Benzel EC, Bigos SJ, Cheng I, Corbin TP, Deyo RA, Hurwitz EL, Jarvik JG, Kang JD, Lurie JD, Mroz TE, Oner FC, Peul WC, Rainville J, Ratliff JK, Rihn JA, Rothman DJ, Schoene ML, Spengler DM, Weiner BK. A biologic without guidelines: the YODA project and the future of bone morphogenetic protein-2 research. *Spine J.* 2012; 12(10):877-80.
592. Laine C, Guallar E, Mulrow C, Taichman DB, Cornell JE, Cotton D, Griswold ME, Localio AR, Meibohm AR, Stack CB, Williams SV, Goodman SN. Closing in on the Truth About Recombinant Human Bone Morphogenetic Protein-2: Evidence Synthesis, Data Sharing, Peer Review, and Reproducible Research. *Ann Intern Med.* 2013; 158:916-918.
593. Deyo RA, Patrick DL. Hope or hype: *The obsession with medical advances and the high cost of false promises*. 2005. American Management Association: New York, New York, USA. ISBN: 0-8144-0845-1.
594. Kmietowicz Z, Cohen d. Device licensing bodies sometimes put business before safety, an investigation finds. *British Medical Journal* 2012;345:e7138. Disponible en [www.bmjjournals.org/content/345/bmj.e7138.pdf%2Bhtml](http://www.bmjjournals.org/content/345/bmj.e7138.pdf%2Bhtml), visitada el 2 de octubre de 2013.
595. Arts MP, Grand R, van den Akker ME, Koes BW, Bartels RHMA, Peul WC. Tubular Diskectomy vs Conventional Microdiscectomy for Sciatica. A Randomized Controlled Trial. *JAMA*. 2009; 302(2):149-158.

596. Tosteson AN, Tosteson TD, Lurie JD, Abdu W, Herkowitz H, Andersson G, Albert T, Bridwell K, Zhao W, Grove MR, Weinstein MC, Weinstein JN. Comparative effectiveness evidence from the spine patient outcomes research trial:surgical versus nonoperative care for spinal stenosis, degenerative spondylolisthesis, and intervertebral disc herniation. *Spine* 2011; 36(24):2061-8.
597. Van den Hout WB, Peul WC, Koes BW, Brand R, Kievit J, Thomeer RT; Leiden-The Hague Spine Intervention Prognostic Study Group. Prolonged conservative care versus early surgery in patients with sciatica from lumbar disc herniation: cost utility analysis alongside a randomised controlled trial. *BMJ*. 2008 Jun 14; 336(7657):1351-4.
598. Smith JS, Fu KM, Polly DW Jr, Sansur CA, Berven SH, Broadstone PA, Choma TJ, Goytan MJ, Noordeen HH, Knapp DR Jr, Hart RA, Donaldson WF 3rd, Perra JH, Boachie-Adjei O, Shaffrey CI. Complication rates of three common spine procedures and rates of thromboembolism following spine surgery based on 108,419 procedures: a report from the Scoliosis Research Society Morbidity and Mortality Committee. *Spine* 2010; 35(24):2140-9.
599. van Middelkoop M, Rubinstein SM, Ostelo R, van Tulder MW, Peul W, Koes BW, Verhagen AP. Surgery versus conservative care for neck pain: a systematic review. *Eur Spine J*. 2013; 22(1):87-95.
600. Han X, Zhu Y, Cui C, Wu Y. A meta-analysis of circumferential fusion versus instrumented posterolateral fusion in the lumbar spine. *Spine* 2009; 34(17):E618-25.
601. Fritzell P, Berg S, Borgström F, Tullberg T, Tropp H. Cost effectiveness of disc prosthesis versus lumbar fusion in patients with chronic low back pain: randomized controlled trial with 2-year follow-up. *Eur Spine J*. 2011; 20(7):1001-11.
602. Wenger DR. Spine surgery at a crossroads: does economic growth threaten our professionalism? *Spine* 2007; 32(20):2158-65.
603. Kuijper B, Tans JT, Beelen A, Nollet F, de Visser M. Cervical collar or physiotherapy versus wait and see policy for recent onset cervical radiculopathy: randomised trial. *BMJ*. 2009 Oct 7;339:b3883. Doi: 10.1136/bmj.b3883.
604. Kovacs FM; Gotzens V, García A, García F, Mufraggi N, Prandi D, Setoain J y San Román F. Experimental Study on Radioactive Pathways of Hypodermically Injected Technetium-99m. *J Nucl Med* 1992;33: 403-407.
605. Kovacs FM, Gotzens V, García A, García F, Mufraggi N, Prandi D, Setoain J y San Román F. Kinetics of hypodermically injected technetium-99m and correlation with cutaneous structures: an experimental study in dogs. *Eur J Nucl Med* 1993; 20:585-590.

606. Kovacs FM, García A, Mufraggi N, García F, Pavía D, Prandi D, Gotzens V, Giralt I, Piera C, Setoain J. Migration pathways of hypodermically injected technetium-99m in dogs. *Eur Radiol*; 2000; 10:1019-1025.
607. Furlan AD, Yazdi F, Tsartsadze A, Gross A, Van Tulder M, Santaguida L, Gagnier J, Ammendolia C, Dryden T, Doucette S, Skidmore B, Daniel R, Ostermann T, Tsouros S. A systematic review and meta-analysis of efficacy, cost-effectiveness, and safety of selected complementary and alternative medicine for neck and low-back pain. *Evid Based Complement Alternat Med*. 2012; 2012:953139.
608. Yuan J, Purepong N, Kerr DP, Park J, Bradbury I, McDonough S. Effectiveness of acupuncture for low back pain: a systematic review. *Spine* 2008; 33(23):E887-900.
609. Irnich D, Beyer A. Neurobiological mechanisms of acupuncture analgesia. *Schmerz* 2002; 16:93-102.
610. Ghia JM, Mao W, Toomey TC, Gregg JM. Acupuncture and chronic pain mechanisms. *Pain* 1976; 2:285-99.
611. Lewit K. The needle effect in the relief of myofascial pain. *Pain* 1979; 6:83-90.
612. Melzack R. Acupuncture and pain mechanisms. *Anaesthetist* 1976; 25:204-7.
613. Han JS. Acupuncture and endorphins: mini review. *Neurosci Lett* 2004; 361:258-61.
614. Kovacs FM, Zanolli G. Re: Yuan J, Purepong N, Kerr DP, et al. Effectiveness of acupuncture for low back pain. A systematic review. *Spine* 2008; 33:E887-E900. *Spine* 2009, April 1; 34 (7):752.
615. Kovacs FM, Gil del Real MT. Is approval of acupuncture for back pain really evidence based? *BMJ* 2000; 321:122.
616. Iliakis E, Valadakis V, Vynios DH, et al. Rationalization of the activity of medical ozone on intervertebral disc: a histological and biochemical study. *Riv Neuroradiol* 2001; 14(suppl 1):23-30.
617. Magalhaes FN, Dotta L, Sasse A, Teixeira MJ, Fonoff ET. Ozone therapy as a treatment for low back pain secondary to herniated disc: a systematic review and meta-analysis of randomized controlled trials. *Pain Physician*. 2012; 15(2):E115-29.
618. Paoloni M, Di Sante L, Cacchio A, Apuzzo D, Marotta S, Razzano M, Franzini M, Santilli V. Intramuscular oxygen-ozone therapy in the treatment of acute back pain with lumbar disc herniation: a multicenter, randomized, double-blind, clinical trial of active and simulated lumbar paravertebral injection. *Spine* 2009; 34(13):1337-44.
619. Gazzeri R, Galarza M, Neroni M, et al. Fulminating septicemia secondary to oxygen-ozone therapy for lumbar disc herniation: case report. *Spine* 2007; 32:E121-123.

620. Clavo B, Robaina F, Kovacs F, Urrútia G. Re: Gazzeri R, Galarza M, Neroni M, et al. Fulminating septicemia secondary to oxygen-ozonotherapy for lumbar disc herniation: case report. *Spine* 2007;32:E121-3. *Spine (Phila Pa 1976)*. 2007 Aug 15; 32(18):2036.
621. Kroeling P, Gross A, Goldsmith CH, Burnie SJ, Haines T, Graham N, Brant A. Electrotherapy for neck pain. *Cochrane Database Syst Rev*. 2009 Oct 7;(4):CD004251. doi: 10.1002/14651858.CD004251.pub4.
622. Khadilkar A, Odebiyi DO, Brosseau L, Wells GA. Transcutaneous electrical nerve stimulation (TENS) versus placebo for chronic low-back pain. *Cochrane Database Syst Rev*. 2008 Oct 8;(4):CD003008. doi: 10.1002/14651858.CD003008.pub3.
623. Bjordal JM, Johnson MI, Iversen V, Aimbridge F, Lopes-Martins RA. Photoradiation in acute pain: a systematic review of possible mechanisms of action and clinical effects in randomized placebo-controlled trials. *Photomed Laser Surg*. 2006; 24(2):158-168.
624. Huang YY, Chen AC, Carroll JD, Hamblin MR. Biphasic dose response in low level light therapy. *Dose Response* 2009; 7(4):358-383.
625. Tumilty S, Munn J, McDonough S, Hurley DA, Basford JR, Baxter GD. Low level laser treatment of tendinopathy: a systematic review with meta-analysis. *Photomed Laser Surg*. 2010; 28(1):3-16.
626. Chow RT, Johnson MI, Lopes-Martins RA, Bjordal JM. Efficacy of low-level laser therapy in the management of neck pain: a systematic review and meta-analysis of randomised placebo or active-treatment controlled trials. *Lancet*. 2009; 374(9705):1897-908.
627. Basford JR. Low intensity laser therapy: still not an established clinical tool. *Lasers Surg Med* 1995; 16: 331–342.
628. Konstantinovic LM, Kanjuh ZM, Milovanovic AN, et al; Acute low back pain with radiculopathy: a double-blind, randomized, placebo-controlled study. *Photomed Laser Surg* 2010; 28:553–560.
629. Maxwell L. Therapeutic ultrasound: its effects on the cellular and molecular mechanisms of inflammation and repair. *Physiotherapy*. 1992; 78; 421-6.
630. Seco J, Kovacs FM, Urrutia G. The efficacy, safety, effectiveness, and cost/effectiveness of ultrasound and shock wave therapies for low back pain: A systematic review. *The Spine Journal* 2011;11:966-77.
631. Serrano-Aguilar P, Kovacs FM, Cabrera-Hernández JM, Ramos-Goñi JM, García-Pérez L. Avoidable costs of physical treatments for chronic back, neck and shoulder pain within the Spanish National Health Service: a cross-sectional study. *BMC Musculoskeletal Disorders* 2011;12:287 doi:10.1186/1471-2474-12-287.

632. De Oliveira RF, Liebano RE, Costa Lda C, et al. Immediate effects of region-specific and non-region-specific spinal manipulative therapy in patients with chronic low back pain: a randomized controlled trial. *Phys Ther* 2013; 93(6):748-56.
633. Pickar JG. Neurophysiological effects of spinal manipulation. *Spine J.* 2002; 2(5):357-71.
634. George SZ, Bishop MD, Bialosky JE, Zeppieri G Jr, Robinson ME. Immediate effects of spinal manipulation on thermal pain sensitivity: an experimental study. *BMC Musculoskelet Disord.* 2006 Aug 15; 7:68.
635. Lee M, Latimer J, Maher C. Manipulation: investigation of a proposed mechanism. *Clin Biomech* 1993; 8(6):302-6.
636. Janneke J. P. Schimmel, M. de Kleuver, P. P. Horsting, M. Spruit, W. C. H. Jacobs, J. van Limbeek No effect of traction in patients with low back pain: a single centre, single blind, randomized controlled trial of Intervertebral Differential Dynamics Therapy® *Eur Spine J.* 2009; 18(12):1843–1850.
637. Harte AA, Baxter GD, Gracey JH. The effectiveness of motorised lumbar traction in the management of LBP with lumbo sacral nerve root involvement: a feasibility study *BMC Musculoskelet Disord.* 2007; 8:118.
638. Graham N, Gross A, Goldsmith CH, Klaber Moffett J, Haines T, Burnie SJ, Peloso PM. Mechanical traction for neck pain with or without radiculopathy. *Cochrane Database Syst Rev.* 2008 Jul 16;(3):CD006408.
639. Wegner I, Widyahening IS, van Tulder MW, Blomberg SE, de Vet HC, Brønfort G, Bouter LM, van der Heijden GJ. Traction for low-back pain with or without sciatica. *Cochrane Database Syst Rev.* 2013 Aug 19; 8:CD003010.
640. Daniel DM. Non-surgical spinal decompression therapy: does the scientific literature support efficacy claims made in the advertising media? *Chiropr Osteopat.* 2007; 15: 7. Published online 2007 May 18. Doi: 10.1186/1746-1340-15-7.
641. Dagenais S, Yelland MJ, Del Mar C, Schoene ML. Prolotherapy injections for chronic low-back pain. *Cochrane Database of Systematic Reviews.* 2007(2) Art. Nº: CD004059.
642. Hestbaek L, Leboeuf-Yde C, Manniche C. Low back pain: what is the long-term course? A review of studies of general patient populations. *Eur Spine J* 2003; 12:149-65.
643. Côté P, Cassidy JD, Carroll LH, Kristman V. The annual incidence and course of neck pain in the general populations: A population-based cohort study. *Pain.* 2004; 112:267–273.
644. Hogg-Johnson S, van der Velde G, Carroll LJ, Holm LW, Cassidy JD, Guzman J, et al. Bone and joint decade 2000–2010 task force on neck pain and its associated disorders. The burden and determinants of neck pain in the general population: Results

- of the bone and joint decade 2000–2010 task force on neck pain and its associated disorders. *Spine*. 2008;33:S39–S51.
645. Schoene M. Controversy still dogging the heels of historic evidence reviews. *The Back Letter* 2014; 5(29):49-57.
646. Smith RM, Tipple M, Chaudry MN, Schaefer MK, Park BJ. Relapse of fungal meningitis associated with contaminated methylprednisolone. *N Engl J Med*. 2013 Jun 27;3 68(26):2535-6.
647. Gérvás J, Kovacs FM. Index case for the fungal meningitus outbreak. *N Engl J Med* 2013; 368(10); 970.
648. Smith R. Medical journals and pharmaceutical companies: uneasy bedfellows. *BMJ* 2003;326;1202-1205 doi: 10.1136/bmj.326.7400.1202.
649. Angell M. *The Truth about the Drug Companies: How They Deceive Us and What to Do about It*. 1st edition. New York: Random House, 2004.
650. Deyo RA. Gaps, tensions, and conflicts in the FDA approval process: implications for clinical practice . *J Am Board Fam Pract* 2004; 17:142–9.
651. Smith R. Medical journals are an extension of the marketing arm of pharmaceutical companies. *PLoS Med* 2005; 2(5): e138.
652. Carragee EJ, Deyo RA, Kovacs FM, Wilco CP, Lurie JD, Urrútia G. Clinical research. Is the spine field a mine field? *Spine* 2009; 34:423-430.
653. Dhruva SS, Bero LA, Redberg RF Strength of study evidence examined by the FDA in premarket approval of cardiovascular devices. *JAMA* 2009; 302(24):2679-85.
654. Ross JS, Madigan D, Hill KP, Egilman DS, Wang Y, Krumholz HM. Pooled analysis of rofecoxib placebo-controlled clinical trial data: lessons for postmarket pharmaceutical safety surveillance. *Arch Intern Med*. 2009; 169(21):1976-85.
655. Consejo General de Colegios Oficiales de Médicos de España-Organización Médica Colegial, Fundación Kovacs. Recomendaciones para mejorar la adopción de las innovaciones sanitarias y su utilización en la sanidad española. 2010. Disponible en [www.adopcioninnovacionessanitarias.es](http://www.adopcioninnovacionessanitarias.es), visitada el 17 de agosto de 2013.
656. Pozzi S. La chivata se lleva 70 millones. *El País*, 28 de octubre de 2010. Disponible en [http://elpais.com/diario/2010/10/28/sociedad/1288216806\\_850215.html](http://elpais.com/diario/2010/10/28/sociedad/1288216806_850215.html), visitada el 30 de agosto de 2013.
657. Avorn J. Regulation of devices. *BMJ* 2010; 341:c5730
658. Miller FG, Kallmes DF. The case of vertebroplasty trials: promoting a culture of evidence-based proceduralmedicine. *Spine*. 2010; 35(23):2023-6.
659. Fraser AG, Krucoff MW, Brindis RG, Komajda M, Smith SC. The truth about medical devices. *BMJ* 2011; 342:d2952.

660. BBC. GlaxoSmithKline agrees \$3bn US settlement, 3 de noviembre de 2011. Disponible en [www.bbc.co.uk/news/business-15569656](http://www.bbc.co.uk/news/business-15569656), visitada el 30 de agosto de 2013.
661. Wilmshurt P. The regulation of medical devices. Unsatisfactory, unscientific, and in need of a major overhaul. *BMJ* 2011; 342:d2822 doi: 10.1136/bmj.d2822.
662. Oner FC, Dhert WJ Challenging the medico-industrial-administrative complex. *Spine J.* 2011; 11(8):698-9.
663. Godlee F. The trouble with medical devices. *BMJ* 2011; 342:d3123 doi: 10.1136/bmj.d3123.
664. Dyer C. Orthopaedic implant company pays £5m order for making corrupt payments to Greek surgeons. *BMJ* 2011;342:d2408 doi: 10.1136/bmj.d2408.
665. Prasad V, Cifu A, Ioniidis JP. Reversals of established medical practices: evidence to abandon ship. *JAMA*. 2012 Jan 4; 307(1):37-8.
666. Gil I. Sólo un medicamento de cada tres es eficaz de verdad. *El Confidencial*, 17 de octubre de 2012. Disponible en [www.elconfidencial.com/alma-corazon-vida/2012/10/17/solo-un-medicamento-de-cada-tres-es-eficaz-de-verdad-107374/](http://www.elconfidencial.com/alma-corazon-vida/2012/10/17/solo-un-medicamento-de-cada-tres-es-eficaz-de-verdad-107374/), visitada el 30 de agosto de 2013.
667. Pérez Oliva M. Medicamentos en busca de enfermedad. *El País*, 9 de julio de 2002. Disponible en [http://sociedad.elpais.com/sociedad/2012/07/09/actualidad/1341863741\\_294998.html](http://sociedad.elpais.com/sociedad/2012/07/09/actualidad/1341863741_294998.html), visitada el 30 de agosto de 2013.
668. Goldacre B, Head to head: Are clinical trial data shared sufficiently today? No, *BMJ*, 2013; 347:f1880.
669. Goldacre B, It's a scandal drug trial results are still being withheld, *Guardian*, January 5, 2014: [www.theguardian.com/commentisfree/2014/jan/05/scandaldrugs-trials-withheld-doctors-tamiflu](http://www.theguardian.com/commentisfree/2014/jan/05/scandaldrugs-trials-withheld-doctors-tamiflu).
670. Urrútia G, Bonfill X. Análisis de la investigación española sobre dolencias del cuello y la espalda 1992-2006. *Med Clin (Barc)*. 2010; 135(5):215-21.
671. Frosch DL, May SG, Rendle KA, Tietbohl C, Elwyn G. Authoritarian physicians and patients' fear of being labeled «difficult» among key obstacles to shared decision making. *Health Aff (Millwood)*. 2012; 31(5):1030-8.
672. Shepherd HL, Barratt A, Trevena LJ, McGeechan K, Carey K, Epstein RM, Butow PN, Del Mar CB, Entwistle V, Tattersall MH.Three questions that patients can ask to improve the quality of information physicians give about treatment options: A cross-over trial. *Patient Educ Couns* 2011;84(3):379–85.

673. Deyo RA, Battie M, Beurskens AJ, Bombardier C, Croft P, Koes B et al. Outcome measures for low back pain research. A proposal for standardized use. *Spine* 1998; 23:2003-2013.
674. Kovacs FM, Abraira V, Royuela A, Corcoll J, Alegre L, Cano A et al. Minimal clinically important change for pain intensity and disability in patients with nonspecific low back pain. *Spine (Phila Pa 1976)* 2007; 32:2915-2920.
675. Kovacs FM, Abraira V, Royuela A, Corcoll J, Alegre L, Tomas M et al. Minimum detectable and minimal clinically important changes for pain in patients with nonspecific neck pain. *BMC Musculoskelet Disord* 2008; 9:43.
676. Pool JJ, Ostelo RW, Hoving JL, Bouter LM, de Vet HC. Minimal clinically important change of the Neck Disability Index and the Numerical Rating Scale for patients with neck pain. *Spine (Phila Pa 1976)* 2007; 32:3047-3051.
677. Weiner BK, Levi BH. The Profit Motive and Spine Surgery. *Spine* 2004; 29:2588-2591.
678. Boggild M, Palace J, Barton P, Ben-Shlomo Y, Bregenzer T, Dobson C, Gray R. Multiple sclerosis risk sharing scheme: two years results of clinical cohort study with historical comparator. *BMJ* 2009, 339:1359-63.
679. McCabe C, Ebers GC, Compston A. Continuing the scheme is unjustified. *BMJ* 2010, 340:1285-8.
680. Scolding N. The multiple sclerosis risk sharing scheme. Despite being flawed, has had unintended beneficial consequences. *BMJ* 2010, 340:1255-6.
681. OECD Health data 2013. Disponible en [www.oecd.org/els/health-systems/](http://www.oecd.org/els/health-systems/), visitada el 24 de septiembre de 2013.
682. Peiró S, Artells JJ, Meneu R. Identificación y priorización de actuaciones de mejora de la eficiencia en el Sistema Nacional de Salud. *Gac Sanit.* 2011; 25(2):95–105.
683. Bernal Delgado E, Campillo Artero C, González López-Valcárcel B, Meneu de Guillerna R, Puig-Junoy J, Repullo Labrador JR, Urbanos Garrido R. La sanidad pública ante la crisis recomendaciones para una actuación pública sensata y responsable. Asociación Economía de la Salud, 2011. Disponible en [www.aes.es/Publicaciones/DOCUMENTO\\_DEBATE\\_SNS\\_AES.pdf](http://www.aes.es/Publicaciones/DOCUMENTO_DEBATE_SNS_AES.pdf), visitada el 6 de octubre de 2013.
684. Junta Directiva y Asamblea de la SESPAS (Sociedad Española de Salud Pública y Administración Sanitaria). SESPAS ante la crisis económica y las políticas de contención de costes. Diciembre de 2011. Disponible en [www.sespas.es/adminweb/uploads/docs/SESPAS\\_ANTE\\_LA\\_CRISIS.pdf](http://www.sespas.es/adminweb/uploads/docs/SESPAS_ANTE_LA_CRISIS.pdf), visitada el 6 de octubre de 2013.

685. Artells JJ, Peiró S, Meneu R. Barreras a la introducción de una agencia evaluadora para informar la financiación o la desinversión de prestaciones sanitarias del Sistema Nacional de Salud. *Rev Esp Salud Pública* 2014; 88: 217-231.
686. Casino G. Osteoporosis, ¿una epidemia inventada? *El País*, 25 de abril de 2006. Disponible en [http://elpais.com/diario/2010/10/28/sociedad/1288216806\\_850215.html](http://elpais.com/diario/2010/10/28/sociedad/1288216806_850215.html), visitada el 30 de agosto de 2013.
687. Zamora J, Kovacs F, Abraira V, Fernández C, Lázaro P, The Spanish Back Pain Research Network. The social tariff of EQ-5D is not adequate to assess quality of life in patients with low back pain. *Quality of Life Research* 2007; 16(3):523-531.
688. Campillo C. When health technologies do not reach their effectiveness potential: A health service research perspective *Health Policy* 2012; 104:92-98.
689. Kramer DB, Xu S, Kesselheim AS. Regulation of medical devices in the United States and European Union. *New Eng J Med* 2012; 366:848-55.
690. Institute of Medicine. Medical devices and the public's health. The FDA 510(k) clearance process at 35 years. Washington, dC: National Academies Press; 2011.
691. Curfman Gd, Redberg EF. Medical devices—Balancing regulation and innovation. *New Eng J Med* 2011; 365:975-7.
692. Cohen D. Patients are let down by poor device regulation, warn surgeons. *British Medical Journal* 2012;345:e1136. disponible en [www.bmjjournals.org/content/345/bmj.e1136.pdf%2Bhtml](http://www.bmjjournals.org/content/345/bmj.e1136.pdf%2Bhtml), visitada el 2 de octubre de 2013.
693. Conde JL. Informe sobre neurorreflejoterapia en el tratamiento de la lumbalgia inespecífica realizado a solicitud del Ministerio de Sanidad y Consumo. Agencia de Evaluación de Tecnologías Sanitarias. Madrid: Ministerio de Sanidad y Consumo, 20 de febrero de 1996, disponible en <http://aemen.es/descargas/AgenciaISCIII.pdf>, visitada el 2 de octubre de 2013.
694. Sampietro-Colom L, Pons JMV. La neuroreflexoteràpia en el tractament del dolor lumbar inespecífic. Barcelona: Agència d'Avaluació de Tecnologia i Recerca Mèdiques, 2001, disponible <http://aemen.es/descargas/Agenciacatalana.pdf>, visitada el 2 de octubre de 2013.
695. Garcia Caeiro AL. Neurorreflejoterapia en el tratamiento de la lumbalgia inespecífica. Santiago de Compostela: Axencia de Avaliacion de Tecnoloxias Sanitarias (avalia-t); 2002. Informe N°: CT2002/10, disponible en <http://aemen.es/descargas/AVALIA-T2002.pdf>, visitada el 2 octubre de 2013.
696. Reza Goyanes M. Eficacia, efectividad y seguridad de la neurorreflejoterapia en el tratamiento de la lumbalgia inespecífica. Propuesta de financiacion. Madrid: Unidad de Evaluacion de Tecnologias Sanitarias de la Agencia Lain Entralgo; 2004. Informe N° CE02/2004.

697. Martínez Pérez I, Villegas Portero R. Neurorreflejoterapia en el tratamiento del dolor de espalda inespecífico: Agencia de Evaluacion de Tecnologias Sanitarias de Andalucia (AETSA); 2009.
698. Clavería A. Neurorreflejoterapia en la lumbalgia inespecífica. Actualización. IB2010/02. Santiago de Compostela: Axencia de Avaliación de Tecnoloxías Sanitarias de Galicia (avalia-t); enero de 2010, disponible en <http://aemen.es/descargas/AVALIA-T2010.pdf>, visitada el 2 de octubre de 2013.
699. Atienza Merino G, Queiro Verdes T. Neurorreflejoterapia en el tratamiento del dolor lumbar inespecífico. Plan de Calidad para el Sistema Nacional de Salud del Ministerio de Sanidad Servicios Sociales e Igualdad. Agencia de Evaluación de Tecnologías Sanitarias de Galicia (avalia-t); 2012. Informes de Evaluación de Tecnologías Sanitarias: avalia-t Nº. 2011-02, disponible en [www.aemen.es/descargas/avalia-t2011-02Neurorreflejoterapia.pdf](http://www.aemen.es/descargas/avalia-t2011-02Neurorreflejoterapia.pdf), visitada el 2 de octubre de 2013.
700. Gestoso M, Martín M. Alegaciones a la segunda versión del tercer informe de avalia-t sobre intervención neurorreflejoterápica. Asociación Española de Médicos Neurorreflejoterapeutas, 20 de agosto de 2013. Disponible en <http://aemen.es/descargas/AVALIA-T2013.Alegaciones.pdf>, visitada el 2 de octubre de 2013.
701. Urrútia G. Aclaración al informe realizado por avalia-t sobre neurorreflejoterapia. 24 de marzo de 2010, disponible en <http://aemen.es/descargas/AclaracionprimerautorrevisionCochrane.pdf>, visitada el 2 de octubre de 2013.
702. AEMEN-Asociación Española de Médicos Neurorreflejoterapeutas. Revisiones sistemáticas e informes de entidades científicas y administrativas sobre la intervención NRT. Disponible en [http://aemen.es/nrt\\_pruebas.html](http://aemen.es/nrt_pruebas.html), visitada el 2 de octubre de 2013.
703. Chernew ME, Newhouse JP. What does the RAND Health Insurance Experiment tell us about the impact of patient cost sharing on health outcomes? Am J Manag Care. 2008; 14(7):412-4.
704. Brook RH, Ware JE, Rogers WH, Keeler EB, et al. The Effect of Coinsurance on the Health of Adults: Results from the RAND Health Insurance Experiment. Santa Monica, Calif.: RAND Corporation, R-3055-HHS, 1984.
705. Brook RH, Keeler EB, Lohr KN, Newhouse JP et al. The Health Insurance Experiment. A Classic RAND Study Speaks to the Current Health Care Reform Debate. RAND Corporation 2006. Disponible en [www.rand.org/pubs/research\\_briefs/RB9174.html](http://www.rand.org/pubs/research_briefs/RB9174.html), visitado el 6 de octubre de 2013.
706. Brook RH. The science of health care reform. JAMA 2009; 301(23):2486-7.

707. González López-Valcárcel B. ¿Qué sabemos del impacto de los copagos en atención sanitaria sobre la salud? Evidencia y recomendaciones. En J Puig (coord.) La corresponsabilidad individual en la financiación pública de la atención sanitaria. Fundación Rafael Campalans. Informes FRC n.1 ISSN: 1887-4037. Disponible en [www.fcampalans.cat/images/noticias/Capitol%205.pdf](http://www.fcampalans.cat/images/noticias/Capitol%205.pdf), visitada el 6 de octubre de 2013.
708. Thomas D. Shyness drug could boost confidence. The Telegraph, 22 de junio de 2008. Disponible en [www.telegraph.co.uk/news/worldnews/northamerica/usa/2175030/Shyness-drug-could-boost-confidence.html#](http://www.telegraph.co.uk/news/worldnews/northamerica/usa/2175030/Shyness-drug-could-boost-confidence.html#), visitada el 2 de octubre de 2013.
709. Moynihan R, Heath I, Henry D. Selling sickness: the pharmaceutical industry and disease mongering. BMJ. 2002; 324(7342):886-91.
710. Moynihan R, Henry D. The fight against\_disease\_mongering: generating knowledge for action. PLoS Med. 2006 Apr; 3(4):e191.
711. Moynihan R, Doran E, Henry D. Disease mongering is now part of the global health debate. PLoS Med. 2008; 5(5):e106.
712. Doran E, Henry D. Disease mongering: expanding the boundaries of treatable disease. Intern Med J. 2008; 38(11):858-61.
713. Alonso-Coello P, García-Franco AL, Guyatt G, Moynihan R. Drugs for pre-osteoporosis: prevention or disease mongering? BMJ. 2008; 336 (7636):126-9.
714. Gérvás J, Pérez Fernández M. Uso y abuso del poder médico para definir enfermedad y factor de riesgo, en relación con la prevención cuaternaria. Gac Sanit. 2006; 20 (Supl 3): 66-71.
715. Gérvás J, Pérez Fernández M. Sano y salvo: (y libre de intervenciones médicas innecesarias). Barcelona: Los libros del lince; 2013.
716. Paseiro G, Seco J, Avendaño J, Maya J, Albornoz M. Actualidad. El fisioterapeuta 2012; 186:8-12.
717. Diario Médico. La Sermef cuestiona la validez del estudio sobre gasto en rehabilitación. Diario Médico del 22 de febrero de 2012, disponible en [www.diariomedico.com/2012/02/24/area-profesional/sanidad/sermef-cuestiona-validez-estudio-gasto-rehabilitacion](http://www.diariomedico.com/2012/02/24/area-profesional/sanidad/sermef-cuestiona-validez-estudio-gasto-rehabilitacion), visitada el 15 de agosto de 2013.
718. Diario Médico. Duras réplicas a la Sermef después de sus acusaciones. Diario Médico del 27 de febrero de 2012, disponible en [www.diariomedico.com/2012/02/27/area-profesional/sanidad/duras-replicas-sermef-despues-acusaciones](http://www.diariomedico.com/2012/02/27/area-profesional/sanidad/duras-replicas-sermef-despues-acusaciones), visitada el 15 de agosto de 2013.